

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class matter. Copyrighted, 1893, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXVIII.—No. 7.
ESTABLISHED 1845

NEW YORK, FEBRUARY 18, 1893.

\$3.00 A YEAR.
WEEKLY.

THE HARBOR DEFENSE RAM KATAHDIN.

A vessel which stands alone in its class, the first vessel of our new navy built solely to be used as a ram, and one which is laid out on original lines as compared with work in a similar direction in foreign navies, was launched at the Bath Iron Works, Me., on February 4. Not belonging to any of the classes of vessels for which names are provided by law, it was christened Katahdin, after Mount Katahdin, the highest mountain in Maine. A distinguished company of guests was present at the ceremonies attending the launching, including the Assistant Secretary of the Navy, James R. Soley, Senators Hale and Frye, Thomas A. Edison, and the members of the Maine Legislature in a body. The launch was a success, the vessel sliding gracefully and easily into the water.


The Katahdin is a twin screw armor-plated vessel, built from the designs of Rear Admiral Daniel Ammen, and is based upon the personal experience of the admiral in the use of and the defense against rams in our civil war, 1861-65. The plans were made in the Bureau of Construction and Repair, under the supervision of

Commodore T. D. Wilson, in consultation with Admiral Ammen, and the machinery was designed in the Bureau of Steam Engineering, under the supervision of its chief, Commodore George W. Melville. The bids for her construction were opened at the Navy Department on December 20, 1891. There was one bidder only, the Bath Iron Works, and on January 28, 1891, the contract was awarded to this company to build and equip the vessel and machinery and to place the armor for \$930,000, to be completed by July 28, 1892.


On March 27, 1891, the Navy Department approved the proposition of the contractors to lengthen the vessel eight feet, the corresponding increase in the displacement (133 tons) to be utilized in increasing the coal supply and providing a battery of four 6-pounder rapid-firing guns for defense against torpedo attack, the original design having no battery whatever. The type and size of the boilers were also modified. With these changes the dimensions of the vessel are as follows: Length over all, 251 feet; length on the normal water line, 250 feet 2 inches; extreme breadth, 43 feet 5 inches; breadth on water line, 41 feet 6

inches. The total depth from the base to the crown of deck amidships is 22 feet 10 inches, and the normal draught of water is 15 feet, the corresponding displacement being 2,155 tons. The lower portion of the hull is dish shaped up to a sharp knuckle, which runs all around the vessel 6 inches below the normal water line, the angle of the knuckle amidship being about 90 degrees. Above this knuckle the shape of the hull is a circular arc, with a radius amidship of 39 feet, rising from 6 inches below to 6 feet above the normal water line. This curved deck is armor-plated throughout, the thickness of the armor tapering from 6 inches at the knuckle to 2 inches at the crown of the deck. Above this deck is a conning tower of 18-inch plate, a smokepipe and ventilators, and two light barbettes, within which the guns will be mounted, and skid beams for carrying the boats. Longitudinally from the point of the ram to the stern the lower portion of the hull is shaped in a fair curve, but the upper portion is straight from the head of the stem to within about thirty feet from the stern, from which it rounds

(Continued on page 100.)



THE HARBOR DEFENSE RAM KATAHDIN, LAUNCHED FEBRUARY 4, AT THE BATH IRON WORKS.



THE BATH IRON WORKS AND SHIPBUILDING YARD, BATH, ME.

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, for the U. S., Canada or Mexico.....\$3 00
 One copy, six months, for the U. S., Canada or Mexico..... 1 50
 One copy, one year, to any foreign country belonging to Postal Union. 4 00
 Remit by postal or express money order, or by bank draft or check.
 MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year for the U. S., Canada, or Mexico. \$6.00 a year to foreign countries belonging to the Postal Union. Single copies, 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page.
Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to one address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries within Postal Union, eight dollars and fifty cents a year.

Building Edition.

THE ARCHITECTS AND BUILDERS EDITION OF THE SCIENTIFIC AMERICAN is a large and splendid illustrated periodical, issued monthly, containing floor plans, perspective views, and sheets of constructive details, pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To builders and all who contemplate building this work is invaluable. Has the largest circulation of any architectural publication in the world.

Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.50 a year. To foreign Postal Union countries, \$3.00 a year. Combined rate for BUILDING EDITION with SCIENTIFIC AMERICAN, to one address, \$5.00 a year. To foreign Postal Union countries, \$6.50 a year. Combined rate for BUILDING EDITION, SCIENTIFIC AMERICAN and SUPPLEMENT, \$9.00 a year. To foreign Postal Union countries, \$11.00 a year.

Spanish Edition of the Scientific American.

LA AMERICA CIENTIFICA E INDUSTRIAL (Spanish trade edition of the SCIENTIFIC AMERICAN) is published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number of *La America* is profusely illustrated, and is the finest scientific, industrial trade paper printed in the Spanish language. It circulates throughout Cuba, the West Indies, Mexico Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. \$3.00 a year, post paid to any part of the world. Single copies 25 cents. See prospectus.

MUNN & CO., Publishers,

361 Broadway, New York

The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO.

Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, FEBRUARY 18, 1893.

Contents.

(Illustrated articles are marked with an asterisk.)

Asbestos porcelain.....	100	Glacial period, the.....	103
Atmospheric pressure.....	102	Labor troubles in England.....	104
Axes, steel.....	104	Lost people walking in circles.....	100
Bath, Me., shipyard.....	97	Matches, safety, danger of.....	102
City pavements.....	102	Parades illuminated from trol- ley wires.....	106
Codman, Henry S.....	102	Patent Commissioner's report.....	98
Columbian Exposition.....	102	Railway coach, "Pillson's".....	101
Columbus, a pharmacist.....	102	Shop, to free from steam.....	106
Drill, the Wildermann.....	101	Spiders, the silk of.....	107
Earthquake in Greece, an.....	104	Sugar industry, the, in Cuba.....	104
Electricity, generating, Edison's new art of.....	99	Telegraph equitable printing.....	99
Fires, American, quality of.....	102	Telephone, crowding work of the.....	98
Fire escape, Brussels.....	101	Telephone, long-distance.....	98
Fontainebleau Proving Grounds, the.....	106	Valve for water gauges, Fish- burn's.....	101

TABLE OF CONTENTS OF SCIENTIFIC AMERICAN SUPPLEMENT No. 894.

For the Week Ending February 18, 1893.

Price 10 cents. For sale by all newsdealers.

	PAGE
I. AEROSTATICS.—Motors for Aerial Machines.—A detailed examination of the possibilities of weight for power attainable in prime motors for flying machines.....	14231
II. BACTERIOLOGY.—Tobacco and Wine Bacteria.—Curious possibilities in the production of grades of tobacco, brought about by the study of their fermentation bacteria.....	14232
III. BOTANY.—The Florida Pitcher Plant.—By CHARLES B. PALMER.—A vegetable curiosity found in Florida, capturing and absorbing insects.....	14232
IV. CHEMISTRY.—A Volatile Series of Metallic Compounds.—By C. F. TOWNSEND.—The volatile carbonyls and their important bearings on the problems of metallurgy.....	14234
Separation of Silver and Lead.—By R. BENEDICT and L. GATES.—A method of separation based on the behavior of the iodides of these metals with dilute nitric acid.....	14234
V. CHRONOLOGY.—History's Misleading Chronology.—By SAMUEL W. BALCH.—The comparison of the modern calendar with the calendar of former time.—The verification of ancient dates.....	14233
VI. ELECTRICITY.—A New Method of Preparing Filaments for Incandescent Lamps.—The manufacture of incandescent lamp filaments containing three concentric layers, an interesting example of a comparatively incombustible filament.—1 illustration.....	14230
Gas Power for Electric Lighting. Gas engines for driving dynamos, and results obtained thereby.....	14230
J. J. Heilmann's Electric Railway System.—A self-contained locomotive in which the current is produced by a steam engine on the locomotive itself.—3 illustrations.....	14279
The Clamond Microphone.—A microphone with a viscous material subjected to the action of the voice.—3 illustrations.....	14230
VII. HORTICULTURE.—Floral Utilization of Tree Stumps.—How to utilize tree stumps and produce tree stump effects in a garden.—3 illustrations.....	14232
VIII. INVENTION.—The Modern Iron Plow.—The history of the invention of the iron plow.—Joseph Smith and his early inventions.—2 illustrations.....	14233
IX. METEOROLOGY.—Explorations of the Upper Regions of the Atmosphere.—A plan for determining the meteorological data of the upper atmosphere by registering instruments carried upward by balloons.—3 illustrations.....	14230
The Mont Blanc Observatory.—An observatory to be erected on the snow on Mont Blanc, with view of the structure.—1 illustration.....	14231
X. MINERALOGY.—A Large Meteorite from Australia.—A 3824 pound meteorite, with its general features and analysis of newly found meteorite iron from the same place.....	14231
XI. MINING ENGINEERING.—A Chinese System of Gold Mining.—By HENRY LOUIS.—Gold mining and gold milling as prosecuted in China.—An interesting study in metallurgy.—2 illustrations.....	14235
XII. MISCELLANEOUS.—Ormonde, the "Horse of the Century."—Shipping the great racer from La Plata.—Notes of his winnings and his history.—1 illustration.....	14233
The Piano Violoncello.—A keyboard applied to instruments of the violin type.—A very ingenious system.—1 illustration.....	14236
XIII. NATURAL HISTORY.—Giant Tortoises.—Great land turtles, with interesting details of their dimensions and habits.—3 illustrations.....	14230
XIV. NAVAL ENGINEERING.—The New Brazilian Cruiser Republica.—A new ship recently completed at the Elswick Works.—1 illustration.....	14233
XV. PHYSICS.—Expansion of Air by Heat.—Simple experiments illustrating this law.—2 illustrations.....	14234
XVI. RAILROAD ENGINEERING.—The Liverpool Overhead Railway.—Recent opening of the Liverpool elevated railroad, with illustrations of some of its features.—3 illustrations.....	14232
XVII. SURGERY.—The Achievements of American Surgery.—By FREDERIC S. DENNIS.—A valuable and exhaustive resume of the work done in America by surgeons, with examination as to priority of different achievements.....	14237
XVIII. TECHNOLOGY.—Denton's Method of Clarifying Sorghum Juice.—A contribution to the sorghum sugar industry.—A practical note on manipulation.....	14237
Improved Brush Making.—A valuable and exhaustive resume of the difficult operation of manufacturing brushes.—1 illustration.....	14237
Improved File Grinding Machine.—A machine for automatically grinding files.—1 illustration.....	14231
The Different Methods of Dyeing Wool.—By MAX BREITER.—A review of five typical methods of dyeing wool fiber.....	14235
The Manufacture of Liquors and Preserves.—By J. DE BEVANS.—Superior liquors, with numerous formulae of the different varieties.....	14234

THE CROWNING ACHIEVEMENTS OF THE TELEPHONE.

Two exhibitions of recent achievement in the line of telephony have recently taken place in this city. The first one signalized the opening of the telephone line from New York to Chicago. The next one was a public exhibition of the capacity of that line given by the transmission of music over the thousand miles intervening between here and the City of the Lakes. The music was so perfectly reproduced as to be heard by members of a large audience. To day New York is in telephonic communication with Chicago, and the oral transmission of intelligence has become an everyday affair. When the telephone was first introduced, it was believed that it would never have a very extensive application. It seemed impossible that all the leading business offices in such a city as New York should be put in communication with each other in any practical way by the almost impracticable invention of seventeen years ago. After the development of the telephone with microphonic transmitters for short distance work had become an acknowledged fact, the troubles offered by induction and the static capacity of long lines caused many to believe that the telephone could never be a long range instrument. As in the case of many other things in this world, it was found that the best appliances secured the desired results. The construction of an absolutely first-class copper line of large caliber wire and of the most perfect details of mounting has removed the thousand miles intervening between here and Chicago effectually, and now conversation can be held with Chicago even better than ordinarily with New York City connections. The success of long distance telephoning in the present case is merely one of the additional triumphs of the best.

On February 7 of the present year, a still greater achievement was commemorated. On that day was witnessed the opening of the telephone line from Boston to Chicago. Telephoning is successfully carried on over 1,250 miles of wire, owing to a somewhat circuitous route followed by the line. All distances hitherto covered are insignificant compared to this. The possibilities it holds for the future cannot well be overestimated. A step beyond Chicago and the banks of the Missouri will be reached, and we may yet see Omaha and San Francisco connected by a line which will form the final link in a chain bringing San Francisco and New York within speaking range of each other. When conversation is carried on perfectly as it now is over 1,250 miles of wire, the extension of distance becomes a matter of detail.

A few days after this reaches our readers, the original Bell telephone patent, to which the courts have awarded an unprecedentedly wide scope, will have expired. The expiration of the patent and opening of the field of telephony to the nation is, under the circumstances, a signal epoch in the history of invention. Seventeen years ago the patent was granted. Under energetic business management the industry based on this patent attained an enormous development, and it is interesting to note that these monumental achievements have only been accomplished during the last days of the life of the patent. The invention has not lived out a short life of usefulness to be relegated to obscurity. It has increased continually in importance and it is only at the end of its monopoly that its greatest developments have taken place. The connection of the two metropolises is a fitting work for the year of the Columbian Exposition. The American invention of the telephone will have in these commercial lines erected for everyday use its most impressive exposition—an exhibit which will far surpass anything that can be shown in the great halls of the electrical building of Chicago. It is an exhibit requiring the area of six or more States for its display.

The value of this invention in a money-making sense has been enormous. The price paid by the inventor of the telephone for his protection, technically speaking, becomes payable in a few days. The price paid for a patent is its surrender in statutory time to the public. The patent fee is merely designed to cover the expense of the office, and is no part of the consideration given by the inventor. But if we take an enlightened view of the matter, we will see that during its existence the Bell patent, by the convenience it has afforded the public in the transaction of business, has awarded the public a rich return for the monopoly granted. The convenience alone is invaluable, and the money return to business men in the transaction of important matters cannot be overestimated.

The completion of these great long distance lines marks the beginning of an epoch when telephony will acquire a new importance. Were the patent awarded a further existence, every year would witness for it an increase in value. The returns received for the patent hitherto have been in great part based upon what it did during its struggling years of business, and during a period of great uncertainty when it was quite problematical what its results were to be. Now that it has obtained a firm lease of life, now that the telephone itself is in the full strength of a matured existence, the patent lapses. It is the old story; the inventor obtains the least reward for his exertions; the true beneficiary is the public. Estimating the benefit which the pub-

lic has received from the invention, had the return been one hundred fold to the owners of the invention, the reward even then for what has altered the whole face of business and commercial life would have been not a particle too much. The spirit of our patent system is admirably illustrated in the whole matter. An invention is made; the incitement for making the invention is the award by government of a short monopoly conditional on its being patented; that is, disclosed to the public. Thus incited, the inventor works to achieve his result, achieves it, and obtains what return he can in the seventeen years of its life. Then, in the full vigor of an assured success, with the most brilliant prospects before it, after having revolutionized the business world, the invention becomes public property and the inventor loses all claim upon it.

The moral in the history of the telephone applies well in the case of the would-be minimizers of patent rights. For just as the invention is in its most advanced state of development and has the most brilliant future before it, when the returns from it should be of unprecedented and of growing largeness, it becomes public property and part of the capital of the American nation at large.

THE ANNUAL REPORT OF THE COMMISSIONER OF PATENTS.

The annual report of Commissioner Simonds, dated January 31, has been issued. It is contained in the Patent Office *Gazette* of February 7. The general report deals with the old questions which unfortunately are very live questions—questions which we have repeatedly dilated on in these columns. Want of room, want of facilities and want of help are the crying needs of the office. The delay in disposing of patent cases is very great, but no relief is granted by Congress.

From the report we learn that there are now 605 officials and employes, with salaries varying from \$5,000 to \$360 per annum. The three superior officers are appointed by the President, 464 are under civil service rules, the remainder in the unclassified service are appointed.

For the World's Fair an exhibit including some 2,500 models, nearly all working models, is in preparation. It will include many loans from inventors in addition to original models in possession of the office, and will form an exhibition of interest quite unique. One of the models goes as far back as 150 B. C.; another illustrates a harvester used in the first century of our era.

The net receipts of the office were \$1,286,331.83. The expenditures were \$1,110,739.24. The balance in the United States Treasury to the credit of the office reached on January 1, 1893, the sum of \$4,179,910.26. During the year 1892, 39,514 applications for patents for inventions were received, 104 for reissues and 1,130 for design patents; 23,478 patents were issued and 81 reissues were granted; 13,291 patents expired during the year. Among the grantees of patents next to America comes England with 653 United States patents granted. Germany presses close to her with 507 patents. New York heads the list of States and Territories with 3,781 patents; Oklahoma is at the foot with 3. Connecticut is the most inventive State, with one patent to every 955 inhabitants; Mississippi is the least, with one patent to every 23,447 inhabitants.

The report is of unusual interest throughout, and in our brief summary we have left much of it untouched.

PROGRESS OF LONG DISTANCE TELEPHONY.

"The Telephone and How We Talk from New York to Chicago" was the title of an interesting experimental lecture given before the New York Electrical Society, at Columbia College, New York, on the 8th inst. Mr. J. J. Carty, the electrician of the Metropolitan Telegraph and Telephone Company, explained the nature of sound and the mechanism of speech, its propagation and reception by the ear, the physiology of the ear, the evolution from the speaking tube and string telephone to the electric, telephone, a description of the construction and principle of the latter, and the construction of the transmitter, induction coil and the battery. By means of an electric arc lantern, diagram lantern slides were projected on the screen, illustrating very fully the points Mr. Carty made.

Following him, Mr. F. A. Pickernell, the accomplished chief engineer of the American Telegraph and Telephone Company (the Long Distance Company), gave an entertaining account of the growth and extent of long distance telephony. As telephone lines began to be extended, it was found a wire weighing sixty-five pounds to the mile would answer. But with the introduction of metallic circuits, which gave results free from the induction, experience demonstrated heavier wires with less resistance were the most satisfactory. In learning these things they had found it necessary to lay aside the empirical rules certain noted electricians had made and establish a standard of their own, as it appeared to be a special science, requiring special conditions. The early experiments were tried

on wires already existing in 1884 between New York and Boston. Later a special line was built between the same cities, which gave fairly good service. The next line was established between New York and Philadelphia, heavier wire being used, which gave results so superior to any previous line that it led the company to enlarge in the same direction. Other lines then followed from New York to Troy, Troy to Buffalo, Philadelphia to Pittsburgh, Philadelphia to Washington, and from Pittsburgh to Erie, Pa.

By a certain combination of several of these lines, a continuous circuit of 800 miles or more was effected and experimental tests made. The trials gave the engineers an insight as to the practical possibilities of the construction of an efficient line between New York and Chicago, and by further calculations they were able to determine what the size of the wire should be. Hard drawn copper wire, weighing 435 lb. to the mile, was finally adopted, and its use on the line to Chicago has fully verified the calculations. It operated perfectly in all kinds of weather, and would work well with an additional 250 miles added on to either end. A new special line had just been opened between New York and Boston, of the heaviest wire, which enabled conversation to be carried on perfectly between Boston and Chicago. In transmitting sound by electrical pulsations over these great distances, it was somewhat diminished in volume, but was very distinct and perfectly understood. In remarking upon the instantaneous nature of the transmission, he gave two comparative illustrations. Taking the hawk for example, if it could fly at its fastest speed it would take six hours to go from New York to Chicago; or, if a rifle was fired at its highest velocity from New York to a target in Chicago, it would take one hour's time. But in the telephone the element of time was eliminated, the impulse traversed the distance instantaneously, and the reply returned as quickly. Its rapidity is inconceivable.

Lantern illustrations were given of the interior of the New York Long Distance office, also of the Chicago office, and of the terminus at Jersey City, the subway pipes, the different pole lines passing out of the city, plans for putting up poles, the old and new system of fixtures for house top lines, and views in the country showing the lines of poles and cross arms.

Everything about the long distance lines is constructed in a solid, permanent character, provision being made for further enlargement when demanded.

At the end of his interesting talk he invited the audience to listen through the forty telephones in circuit to the music of a cornet and banjo that would be played in Chicago, and to any conversation that might be carried on.

The companies had connected the wires temporarily with the lecture room for this purpose. The experiment was most successful, every note and fluctuation in the notes of the Chicago cornet were heard with a volume and distinctness that was quite remarkable, while the intervals between the notes were absolutely quiet, not the slightest interference of the usual telephone induction sound being observed.

It should be mentioned that the views thrown upon the screen were made by Mr. Edward H. Lyon, the gentleman who officiated at the Chicago end of the line when its inauguration took place last October.

Votes of thanks were passed to the lecturers and the telephone companies, and everybody seemed to be satisfied that long distance telephony was to be the coming method of communication. The officers of the society—Mr. Joseph Wetzler, president, and Mr. George H. Guy, secretary—are to be congratulated in bringing about such an instructive and unusual entertainment, and the enterprise of the telephone companies in aiding them also merits favorable mention.

THE EQUITABLE PRINTING TELEGRAPH.

The defects of the telephonic transmission of intelligence sometimes become unpleasantly obvious. When a conflict ensues as to some message that may have been sent at a previous time, there is no way of verification afforded. There is no record of the case. This want has been seriously felt in many instances. In this respect the telephone is inferior to the old time printing telegraphs.

In the Equitable Printing Telegraph, a new and ingenious invention, the difficulty is overcome. In it is presented a printing instrument worked by a keyboard like a typewriter and printing from rubber type its message upon paper tapes. The connection and operation are the acme of simplicity. As an example a pair of instruments were recently set up and connected and put to work in this office in a few minutes.


The transmitting and receiving instruments are identical in all respects, resembling to a certain extent a pair of typewriters. When a message is sent both print it, so that the sender and receiver both have copies of the message.

The great feature of the machines are their automatic unison. The trouble with printing and index machines has been in securing unison of the two instruments, so that both should print the same letters. In the present system this unison is automatically

established. If unison is disturbed, the machines at once stop until by touching a lever they are again started in unison. The entire operation of the machines is so simple that it can be learned in ten minutes. Up to distances of fifty miles the system can be used on direct circuit, for greater distances a relay connection with local battery is employed. A pair of instruments can be connected in a telephone circuit and would form a valuable auxiliary to that service. A speed of forty-five words a minute can be obtained.

In practice, a button or key with the desired letter on it is pressed down. When the click announces the printing of the letter, the key bearing the next letter is pressed down, and so on.

There is no need to call any one at the distant end when a message is to be sent. The message is simply



THE EQUITABLE PRINTING TELEGRAPH.


transmitted, and is on the tape when the recipient goes to the instrument.

The system is controlled by the Equitable Manufacturing and Electric Company, 44 Broadway, New York. It presents an admirable simplification of telegraphic service. The expense of these instruments is small.

Edison's New Art of Generating Electricity.

Ten years ago Mr. Thomas A. Edison applied for a patent for this invention, but in some way the Patent Office has managed to withhold the issue of the patent until the present time. The following is an abstract of Mr. Edison's description as contained in the patent issued on the 31st ult.:

The object I have in view is to generate powerful continuous currents of electricity from the elements, and salts or compounds thereof, by dry chemical reaction in a simple and efficient manner. This I accomplish by the use of positive and negative electrodes, placed in a chamber exhausted to the point where the gases generated by the reaction become good conductors of electricity, and subjecting such chamber to the action of heat, to assist the chemical reaction and increase the electrical conductivity of the gases, the positive and negative electrodes being surrounded by a de-



EDISON'S NEW ART OF GENERATING ELECTRICITY.

composable dry chemical compound, which under the conditions of heat and rarefaction attacks the positive electrode and is decomposed, the reaction generating powerful continuous currents of electricity, which are utilized in a circuit in which the electrodes are located. For the positive electrode may be used any of the metals or metalloids, or carbon, the surrounding decomposable compound being an oxide, chloride, or other salt or compound of an element which will attack

the positive electrode under the conditions imposed of heat and rarefaction, while the negative electrode can be any conducting element not attacked by the active compound used. If the result of the action of the compound on the positive electrode is a gas (as would be the case with a carbon electrode attacked by an oxide), the action may be cumulative, or reciprocal as will be presently explained, and a gas being generated, the exhausting apparatus will have to be kept in operation continuously to maintain the desired degree of rarefaction; but, if the result of the action is a solid (as with a metal attacked by an oxide), the action would not be cumulative, and no gas being generated, only sufficient action of the exhausting apparatus would have to be maintained to overcome the leakage, and this might be done by a continuous or intermittent operation of the exhausting apparatus.

In carrying out my invention, I employ a suitable pot or vessel, for instance one of iron, having a tight cover, and connected with suitable exhausting apparatus for producing the proper degree of rarefaction therein. The iron pot may form the negative electrode of the apparatus. By the cover is supported the positive electrode of carbon, which makes good contact therewith and hangs down into the pot. This carbon electrode may be a cylinder made by compressing powdered bituminous coal and then coking the same slightly, the compression being continued during the coking, or a piece of wood may be carbonized under pressure to produce the electrode. The upper end of the electrode is copper-plated, to make a close fit with the sides of the opening in the cover through which it passes, and to make good electrical contact with such cover, or the cover may be solid and the carbon electrode be hung from the under side of the same.

The vessel is provided with a metallic oxide partly filling the same and surrounding the carbon electrode. Oxide of iron is suitable for the purpose. This vessel is mounted in a suitable furnace for giving the necessary heat to produce rapid chemical reaction. The temperature being raised to the point where the carbon will be attacked by oxygen, carbonic oxide will be formed, which being a powerful reducing agent will reduce the oxide of iron, producing metallic iron and carbonic acid. The carbonic acid will attack the carbon, consuming a portion thereof, forming carbonic oxide and changing the carbonic acid to carbonic oxide. The increased volume of carbonic oxide will act on the oxide of iron, reducing the oxide of iron and forming carbonic acid, which again attacks the carbon, and so on, this cumulative or reciprocal action continuing until the oxide of iron is all reduced or the carbon all consumed. While the cumulative action is taking place, the exhausting apparatus is kept in action, maintaining nearly or quite a definite degree of rarefaction in the vessel, which, with the heat, gives the gases high electrical conductivity, making possible the generation of powerful electrical currents by the cumulative dry chemical reaction described. When the result of the dry chemical reaction is a solid, or a gas which does not decompose the compound, the reaction will not be cumulative. For instance, the positive electrode might be a metal, as zinc, and the compound a metallic oxide, such as oxide of lead, the resulting oxide being a solid, but I prefer to use carbon and an oxide. The body of the vessel and the carbon form the two electrodes of the generating apparatus, and these being properly connected in a circuit, the powerful currents generated can be utilized as may be desired. A number of vessels of this character could be connected with the same circuit, in multiple arc, in series or in multiple series, according to the character of current it is desired to furnish.

In the accompanying drawing, forming a part hereof, the figure represents a vertical section and partial elevation of the apparatus.

A is a suitable furnace, upon which is mounted the iron pot, B, having cover, C, secured tightly thereto, but insulated therefrom by the packing (a) of asbestos and cement.

D is the carbon cylinder, passing tightly through the cover, and having its upper end (b) copper-plated for the purposes already stated.

E is an exhaust fan driven by any suitable source of power, and connected by a pipe (c) with the interior of the vessel, B.

F is the metallic oxide placed within the vessel around the carbon.

1 and 2 are the circuit connections.

Nine claims are made, of which the first is as follows:

1. The improvement in the art of generating electricity, consisting in causing the dry decomposition of a chemical compound, in a rarefied atmosphere and in the presence of a positive element which is attacked by such compound and is electrically charged thereby, and a negative element which is electrically charged by the dry chemical reaction, substantially as set forth.

ROEBLING'S railway bridge at Niagara has a span of 821 feet.

THE HARBOR DEFENSE RAM KATAHDIN.

(Continued from first page.)

down to the knuckle. An armor belt, from 6 inches to 3 inches thick and 5 feet deep, extends below the knuckle.

The hull is framed by continuous longitudinal girders, both below and about the knuckle, which, gathering together at the bow and stern, make a rigid structure. A continuous water-tight inner bottom two feet from the outer skin is carried nearly the whole length of the vessel and up to the armor shelf on each side. The vessel is really designed upon the longitudinal bracket system, the frames and beams being intercostal—that is, placed between the ribs. The double bottom is divided and subdivided by longitudinal and transverse frames, so that there are seventy-two water-tight compartments. The inner hull is further subdivided by water-tight bulkheads, both longitudinal and transverse.

The ramhead is of cast steel (see cut), extending back eleven feet in a vertical line, and it is supported by longitudinal braces in such a way that the force of the blow delivered by it is designed to be distributed through the vessel. The maximum estimated speed, at full power, is seventeen knots, and the impact of the ram is designed to be equivalent to the blow of a hammer weighing over two thousand tons moving at this rate of speed—a blow which, if fairly delivered, would crash through the sides of any vessel afloat.

The motive power consists of two sets of horizontal triple-expansion engines, and there are two double-ended and one single-ended cylindrical horizontal five-tube boilers placed in water-tight compartments. The estimated maximum horse power is 4,800. There will be a complete installation of electric lights, sufficient

our new navy have been launched from this yard, two of which are shown at the docks in our first page illustration.


The yard is amply equipped with the most modern appliances in its extensive forge, machine and carpenter shops, and on one of its three launching ways

paratively easy when the proper apparatus is employed. From this powder a paste is made by mixture with water, and this paste is kneaded, diluted with water, dried and kneaded again, and then moulded into the proper form. By heating the objects in a crucible to a temperature of 1,700° Centigrade, a porcelain is obtained with a translucency comparable to that of ordinary porcelain, and for this reason the inventor has given the name of asbestos porcelain to the substance. If it is heated for 18 hours at a temperature of 1,200° Centigrade, then porous asbestos porcelain is obtained of a light yellow or white color, if care be taken to wash the asbestos powder with sulphuric acid. Professor d'Arsonval states that porous cups made of asbestos porcelain used in electric batteries have much less resistance than the ordinary porous cups, and it has been found that this substance is about 2.75 times a better insulator than the porcelain in common use at this time.—*Electricity*.

Why Lost People Walk in Circles.

The fact that people lost on a desert or in a forest invariably walk in a circle is due to slight inequality in the length of the legs. Careful measurements of a series of skeletons have shown that only ten per cent had the lower limbs equal in length, thirty-five per cent had the right limb longer than the left, while in fifty-five per cent the left leg was the longer. The result of one limb being longer than the other will naturally be that a person will unconsciously take a longer step with the longer limb, and consequently will tend to the right or to the left, according as the left or right is the longer, unless the tendency to deviation is corrected by the eye.

The left leg being more frequently the longer, as




RAM KATAHDIN—LONGITUDINAL SECTION OF STEM.


may be seen the Katahdin, as drawn by our artist prior to the launching.

Asbestos Porcelain.

M. Garros is the inventor of a new substance somewhat resembling ordinary porcelain, but which possesses, as he claims, many advantages over that substance. The fibers of asbestos are exceedingly fine, their diameter varying between 0.00016 millimeter and



RAM KATAHDIN—CROSS SECTION AMIDSHIPS.



RAM KATAHDIN—CROSS SECTION NEAR POINT OF RAM.

for lighting all parts of the vessel. It is arranged that the vessel may be submerged to her fighting trim by means of fourteen 8-inch Kingston outboard valves, one in each transverse water-tight compartment of the double bottom, and sluice valves are fitted in the vertical keel and water-tight longitudinals in these compartments. When not so submerged the vessel is designed to have sufficient freeboard for coasting service.


The accommodations for both officers and men will be roomy and as comfortable as can be made on any vessel of similar build. The quarters for the officers will be on the after berth-deck, just abaft the engine-room bulkhead, and the wardroom has seven staterooms and a pantry. The forward berth-deck is designed entirely for the crew, but there is an apartment abaft the officers' quarters which may be used as additional berthing space for a portion of the crew.

The Bath Iron Works and Shipbuilding Yard, where the Katahdin was built, extend over a large area, on the banks of the Kennebec River, twelve miles from its mouth, the depth of water here being ample for vessels of the greatest draught. Several vessels of

0.0002 millimeter, and consequently a very fine powder can be obtained from these. If it were possible to amalgamate these small particles without the addition of any foreign substance, it is evident that a substance could be obtained which would be porous in nature, but with pores so fine that they could hardly be seen under the microscope. This substance is formed by pulverizing the asbestos, a process which is rather difficult if the ordinary mortar is used, but which is com-

evidenced by measurement of the skeleton, the inclination should take place more frequently to the right than to the left, and this conclusion is quite borne out by observations made on a number of persons when walking blindfolded. Further, on measurement of the arms, it is found that in seventy-two per cent the right arm is longer than the left; while in twenty-four per cent the left arm is the longer, showing that a considerable majority of persons are right handed and left legged. The inequality in the length of the limb is not confined to any particular sex or race, but seems to be universal in all respects.—*Exchange — name unknown*.


WE have received a sample of the latest improved "Landry" pupilometer made by the well known firm of E. Kirstein's Sons Co., of Rochester. This pupilometer gives correct measurement from the center of each eye to the center of the face.



RAM KATAHDIN—PROPELLER AND STEERING APPARATUS.

AN IMPROVED DRILLING MACHINE.

The illustration represents a machine more especially designed for drilling coal, rocks, etc., in which a small rotary engine is arranged centrally on the drilling shaft to drive and feed it, the engine being driven by compressed air, steam, or other motive agent. The improvement has been patented by Mr. H. H. Wilderman, of Belleville, Ill. The drill shaft is mounted to slide and turn in a hollow shaft journaled centrally in the engine cylinder, and on this hollow shaft, within the cylinder, is fastened an oval-shaped piston, whose outer ends extend close to the inner surface of the rim of the cylinder. On the rim of the cylinder are trunnions to facilitate supporting the machine in operative position. The piston has internal cavities to contain the lubricant, and apertures through which it may pass outward by centrifugal force to lubricate the cylinder when the machine is running, and the motive agent passes into the cylinder at opposite sides to press on both ends of the piston. The drill shaft is held in




THE WILDERMAN AIR DRILL.

the hollow shaft by keys engaging longitudinal grooves, so that the drill shaft is free to slide while receiving a rotary motion. The shaft has screw threads engaged by half nuts sliding in a casing with a conical head fitting into a two-part sleeve secured by a set screw on a hub on the end of the cylinder, there being a coiled spring at the back end of the conical hub of the casing. By this construction, when the drilling tool strikes a harder substance than the ordinary feed is arranged for the hub of the casing is pushed backward on the spring, retarding the forward movement of the drill shaft while still permitting its rotary motion. This feed mechanism stops all crowding of the machine and prevents choking down in very hard material, or the breaking of the drilling tool and connected parts, the feed of the drill varying automatically according to the hardness of the substance to be drilled.

AN IMPROVED RAILWAY COACH.

A passenger car so constructed as to afford ready entrance and exit at its sides is shown in the accompanying illustration. Opposite each seat is a door in the side of the car, and means are provided whereby all of the doors may be simultaneously locked or unlocked, while any one of the doors may be unlocked without disturbing the others. Fig. 1 is a view in perspective of the car, Fig. 2 being a partial side elevation, looking



TILLSON'S RAILWAY COACH.

from the inside, Fig. 3 a vertical section through one of the doors, and Fig. 4 a partial exterior view.

In connection with this construction it is designed, where deemed desirable, to have steps extend along each side of the car from end to end, such steps being auxiliary to the usual end platform steps, but this feature of the improvement is not represented in the illustration. The doors at the sides are hung in pairs, so that when both doors of a pair are open their outer faces come together, the doors thus not interfering with each other, and each door has a horizontal spring-actuated latch, operated from the inside by an attached knob, or from the exterior by means of a lever which extends downward in position to be grasped by a person at the side of the car, as shown in Figs. 1 and 4. Above the latch is a vertical bolt, sliding in a groove in the door, as shown in Figs. 2 and 3, and to be operated only from the interior of the car, the upper end of the bolt being carried inwardly and upwardly, to form a socket between it and the door, while its lower end is bent outward and provided with a knob. A rack bar, held to slide over the doors on each side of the car, has toothed surfaces near one end engaged by a pinion journaled in suitable brackets and turned by a crank arm, and each of the bars has downwardly projecting L-shaped arms, adapted to engage the upper ends of the vertical bolts, as shown in Fig. 2. The rack bars may be operated independently, or the pinions may be connected to actuate them simultaneously on each side of the car, the movement of the bars in one direction, when the doors are closed, locking all the doors, while by a reverse movement the doors are all unlocked. Each door may be independently opened by drawing down its vertical bolt, which is thus disengaged from the rack arm, the bolt being normally pressed up by a spring.

It will be seen that, with this construction, should a car take fire, or any other accident take place, all the passengers have a convenient exit at hand, and any necessity for crowding through the end doors or forcing a way out of the windows is avoided.


Further particulars relating to this improvement may be obtained of the patentee, Mr. Jesse P. Tillson, Union City, Ind.

A SAFETY VALVE FOR WATER GAUGES.

The illustration shows a simple form of valve, patented by Mr. John Fishburn, and designed to automatically seat itself in case of accident to the gauge glass, to prevent the escape of steam, water, etc., Fig. 1 representing one of the valves in section and Fig. 2 showing the application of the improvement. Attached to the stand glass are the usual top and bottom T's provided with globe valves, each of the latter having a valve seat on which is adapted to be seated a check valve, held normally off its seat by a spring in the bottom of the valve. A valve stem engages the upper end of the valve to force it to its seat against the tension of the spring. In the check valve for the upper globe valve is arranged a small opening or aperture, indicated in dotted lines in Fig. 1, through which steam can pass from the boiler when the valve is seated, causing an equalizing pressure beneath the check valve, the upper end of this aperture being closed by the lower end of the valve stem. Both valves are normally held off their seats by the springs, permitting steam and water to enter the gauge, but should the glass break, the equalizing pressure is removed, and the valves immediately seat themselves by the force of the steam and water from within the boiler, the escape of steam and water being prevented.

When a new glass is to be inserted, the valve stems are screwed down to hold and lock the check valves to their seats.

Further information relative to this improvement




FISHBURN'S SAFETY VALVE FOR WATER GAUGES.

may be obtained of Mr. John A. Cameron, Warden's office, State Penitentiary, Walla Walla, Washington.

AN IMPROVED FIRE ESCAPE.

The device shown in the illustration is of simple and inexpensive construction, designed not to injure the building to which it is attached, and affords special facilities for rescuing women and children. On the ground near the building, beneath a vertical row of windows, is located a windlass having end sheaves on a shaft and an operating crank, and in a line therewith at the top of the building, on a shaft journaled in suitable brackets, are corresponding sheaves, wire hoisting ropes passing over these top and bottom sheaves, to carry the cage, as shown in Fig. 1. The cage is open on the side facing the wall, and is fast-



BRUCE'S FIRE ESCAPE.

ened to the hoisting rope by hooks or staples in such way as to hold the cage close up against the wall. To enable the cage to travel over window caps and cornices, as shown in Fig. 2, clearer wheels are attached to its inner corners, these wheels being journaled in yielding bearings, as shown in Fig. 3, preventing undue friction of the cage against the wall in the up and down movement of the cage. The entire device is of steel or iron, so that it cannot be burned. That the tension of the hoisting rope may at all times be maintained, an idle wheel on a pivoted arm of the windlass is arranged to be drawn against the rope by a spring. The device may be supplied with any desired form of brake mechanism, or the cage may be lowered by slowly turning the crank.

Further information relative to this improvement may be obtained of the patentee, Mr. R. N. Bruce, Sperryville, Va.

THE New York *Sun* explains the reason why most of those engaged in the electric business are young men, in the fact that the development of electricity as a factor in practical life came so suddenly that electricians have not had time to grow old, and many of the responsible men in the telephone and electric lighting business are yet below 40. Every problem presented by the application of electricity to every-day life is now the subject of study by a score of young men trained in a practical school, yet acquainted with the latest discoveries in the theoretical science.

Correspondence.

On the Quality of American Files.

To the Editor of the Scientific American:

My attention has been called to remarks made by Mr. A. D. Pentz, in your publication of February 4, practically putting his experience as against my knowledge obtained within the four walls of my manufactory. To correct Mr. Pentz in the supposition that this knowledge has been obtained from one source, I would say that from seventeen to twenty-five years of age, I was every day handling and selling and talking to dealers and consumers the Grobet, Stubs, Reilly Carr, Jowett, Morse & Gambell, John Martin, Greeves, and other makes of English files. I began my experience with a firm who were large and direct importers of the Grobet and Stubs files, and exclusive agents for John Martin's English files, of which they imported some 500 casks. I ended my experience, before going into the manufacture of files direct, as agent for a house who carried in New York a stock of \$40,000 in imported files. I know of no better way of getting a correct opinion as to the quality of goods than to deal with the unprejudiced and prejudiced mechanic. One soon has an opportunity to sift the good from the bad, and I claim that the information which I obtained in handling imported files of various makes for ten years, prior to going into the manufacture of the domestic article, was more accurate knowledge and better information as to various qualities of files than Mr. Pentz was able to obtain in his thirty years' experience as a practical machinist. In justice to myself I would not wish the public to form the impression, through what Mr. Pentz has said, that my knowledge was confined exclusively to my own product.

New York, Feb. 7, 1893.

J. D. FOOT.

A Pharmacial Columbus.

The celebration of the year 1893 is not exclusively one devoted to the discovery of America, as far as pharmacy is concerned.

Contemporaneous with this great event, just 400 years ago, a man was born of whom it may justly be said he was the "father of pharmacy." On December 17, 1493, in Maria Einsiedeln, Germany, was born an individual who was named Theophrastus Bombastus von Hohenheim. Possibly because of this high-sounding name, but more probably to avoid criticism of being designated as "bombastic," a term applied to his utterances, he assumed the name of Paracelsus; and as such he is known to pharmacy.

Paracelsus is the founder of iatrochemistry, through which the tendency of the middle ages to speculate upon the transmutation of the metals was turned in the direction of the search for the "elixir ad longam vitam," or the elixir of long life. Paracelsus believed that specifics could be found among plants and animals for all the ills that flesh is heir to. The tincture of aloe and myrrh is a survival of the "elixir proprietatis," or "elixir Paracelsi," which originally contained a much greater number and variety of ingredients.

It is more than a coincidence that the eventful year of 1893 should also be the quadri-centennial of the birth of this pioneer in pharmacy. The great convocation of pharmacy on the continent whose discovery simultaneously with his birth lent such great impetus to the world's materia medica, might well honor this polymymous and polypharmaceutical character.—*Western Druggist*.

Henry Sargent Codman.

Henry Sargent Codman died suddenly, after an operation for appendicitis, on the 13th of January, at Chicago, where he had charge of the landscape department of the Columbian Exposition. No man at his age had ever accomplished more in his profession, or gave brighter promise of what could confidently be expected from his matured powers.

Mr. Codman was born in Brookline, Mass., on the 19th of June, 1864. He graduated at the Institute of Technology in 1884, and almost immediately entered the office of Mr. Frederick Law Olmsted. In the summer of 1887 he traveled with his uncle, Professor C. S. Sargent, through England, France, Germany, and Italy to study living collections of plants, nurseries, parks, and gardens. Soon after, he went to Paris and pursued his professional studies for more than a year under the direction of Edouard Andre, and on his return he was taken into partnership by Mr. Olmsted. Since then he has been intimately associated with Mr. Olmsted in all the important works that have been carried on by that firm, including the design of the Exposition Grounds in Chicago, in the construction of which he has been practically the executive head from the outset. Mr. Codman was tall, strong, of commanding appearance, and apparently of great constitutional vigor. He had inherited a profound love of natural beauty, and his taste had been disciplined and refined by close observation and wide reading. He was thoroughly acquainted with the literature of his profession. His library in this department was unequalled in this country, and his index of works on the subject,

published in this journal, was the most complete that has yet appeared.

He invariably gained the confidence and esteem of all with whom he came in contact professionally, and he was remarkably successful in impressing his opinions upon them and leading them to see things from his point of view. That he won the affection as well as the respect of his associates was remarkably manifested in his Chicago work, where he came into warm comradeship with almost the entire corps of artists, and where he helped, no doubt, materially, to bring about that sympathetic co-operation and unity of purpose which has been so marked among them. This was due partly to the fact that from his position he stood for the one uniting element and represented among the various professions and crafts the general design in its comprehensiveness and consistency. But his professional position was made effective by his personal qualities and accomplishments—by that broad, liberal, and catholic cultivation which brought him into cordial and appreciative relationship with all the artists in all their varied fields. His leadership was, therefore, natural and spontaneous, for, although he was modest almost to diffidence, he never shrank from assuming responsibility. He had the moral qualities which mark the master, in addition to the highest intellectual appreciation of the possibilities of his profession, and in view of what he was and of the relations he had established with so many of the foremost architects of the country, his untimely death must be lamented as a serious loss to rural art in America.—*Garden and Forest*.

ATMOSPHERIC PRESSURE.

Completely fill a tumbler with water, and carefully cover it with a small sheet of thick paper, press the paper firmly upon the surface of the fluid with the palm, then cautiously invert the tumbler, and remove the hand. The paper will be held in place, and the water thus prevented from flowing out, by atmospheric pressure, as shown in the cut. The influence of this surface pressure on the boiling points of liquids is plainly illustrated by an experiment shown below, and described as follows: Half fill a Florence flask with water, boil the water until air is displaced and the dome of the flask is filled with steam, cork tightly, quickly remove the Bunsen burner, and invert the flask. When the flame is removed the temperature of the water will not be more than 100° C. (212° Fah.), and by the time the flask is inverted and boiling ceases it will naturally fall below the boiling point. If cold water be now poured carefully over the top of the inverted flask it will cause the water to boil fervently. The cold water, of course, lowers the temperature of the water in the flask still further, but it also condenses some of the steam, and, by thus forming a partial vacuum, lessens the work necessary to boiling. There being enough heat left in the water to accomplish this lessened amount of work, the water boils again until stopped by accumulation of pressure. The flask may be drenched and the water made to boil a dozen times in succession with a single heating, or the experiment can be made more striking by plunging the whole flask under cool water.

At the sea level water boils at 212° Fah., under ordinary atmospheric pressure, which is stated to be 14.7 (nearly 15) pounds to the square inch. If the atmospheric pressure be reduced or removed, by means of a vacuum apparatus, the boiling point is reduced—to 100° Fah. or less. If the pressure be increased, as it is in a steam boiler, the boiling point of the water is proportionately increased—to 350° Fah. or more. It must also be remembered that as we ascend above the sea level the atmospheric pressure grows gradually less, and the boiling point of water is correspondingly lower. Water boils readily on Mount Washington at 200° Fah., and upon Mont Blanc at 185° Fah.—*Bulletin of Pharmacy*.

City Pavements.

Mr. Thomas Appleton says: It is a common, but I believe erroneous, notion that the joints or seams between the blocks of a pavement are essential for a foothold for horses. I grant that with any hard stone which polishes under wear it is absolutely necessary that there should be a limit to the polished surface in order that the horse can stand up at all, but a horse is less liable to fall upon a macadam or asphalt pavement than upon a stone pavement, and the yielding surface of the cedar block pavement gives a better foothold than brick or stone. In my opinion, sheet asphalt should be transferred to the other end of the list. It has such a perfect surface that a horse's hoof comes immediately into position for work, there is no rocking of the fetlock joint, no slipping down into a

crevice, no sliding off from a rounded summit. Besides, no such effort is required to start a heavy load as is necessary in starting on a stone or brick pavement. I should rank the materials under this classification as follows: Sheet asphalt, macadam, cedar block, brick, granite, cobble stone.

I doubt the utility of tables giving the cost of pavement for so long a term as fifty years. There may be several better pavements invented than any we now know of within the next ten years. One generation is about as far ahead as we ought to look.

In the present state of the art, I believe that for Chicago and its immediate vicinity there are but two kinds of pavement to use: First, if the abutting property can stand it, sheet asphalt; second, sapless cedar blocks.

On the Danger of Safety Matches.

BY B. L. PROCTOR.

A few weeks ago one of my staff, when lifting down from a high shelf a few packets of patent special safety matches, let two of the packets (each containing a dozen boxes) fall to the floor. This was followed by a sudden burst of smoke from each of them—a result I had not at all anticipated, but which prompted the inquiry how far the matches could be regarded as safety matches, and whether they were really free from phosphorus, as is generally understood.

One thing evidently in favor of safety was that the fire, which destroyed several boxes in each packet, left as many more uninjured. There was fire, but it was all confined within the thin paper wrapper which contained the dozen boxes.

Chemical examination soon proved that the matches did not contain phosphorus, and experiment further proved that the statement was not true which says that the matches will light only on the box.

As this fact was unknown to me up to the present experience, it will probably be new to many others who deal with these articles and who ought to know how far danger may be increased by the supposition that danger does not exist.

It was soon found that by pressing the tip of one match against the tip of another and then suddenly drawing one across the other, one or both of them were ignited. This was, no doubt, the way in which ignition took place within the boxes, where the match tips were, of course, in contact, and where that particular sharp friction would be produced by the concussion of the packet upon the floor.

I find Roscoe and Schorlemmer,* under the head of "Phosphorus," give a formula as follows:

Potassium chlorate.....	32 parts.
Potassium bichromate.....	12 "
Red lead.....	32 "
Sulphide of antimony.....	24 "

This mixture contains no phosphorus, and, as a rule, it will only ignite on a surface strewn with a mixture of amorphous phosphorus and sulphide of antimony. If, however, these so-called safety matches be quickly rubbed over a surface of glass or a smooth sheet of paper, they can be made to take fire.

I do not know whether I had seen Roscoe's statement previous to this little accident, but if so it had not impressed me. Experience is a more emphatic teacher than a text book.

Previous to my reference to Roscoe I had found it possible to ignite the safety matches upon the pages of the day book, upon the office window, upon a long palette knife, upon porcelain jars (glazed or unglazed), and some other materials, a long, rapid stroke being most effective. Subsequently I repeated the experiments and had failures with the same kind of matches made by the same maker. It may be that the matches vary a little in composition unintentionally, or they may change a little with keeping, or it may be that it depends upon the degree of dryness. The matches with which the accident occurred, and which ignited on various surfaces without much difficulty, had been in a warm dry position for a month or so, while those with which failure to ignite with simple friction was experienced had been kept in what might be considered normal conditions—conditions which did not interfere with their lighting on the box, but which made it very difficult, if not impossible, to strike them effectually upon common materials. After two or three hours' drying before the fire, striking on paper and porcelain again became effective, though not easily so.

The conclusions indicated are:

That the matches do not contain phosphorus.

That it is not true that they will strike only on the box.

That when very dry concussion may ignite the boxful.

That in case of ignition the fire does not spread readily, as it would do if the matches contained common phosphorus or free sulphur.

That a small degree of dampness which may be considered normal under ordinary circumstances does not interfere with their use according to rule, and renders them practically free from danger.—*Chemist and Druggist*.

* "Treatise on Chemistry," 1877, vol. 1., page 474.

The Glacial Period.

RALPH S. TARR.

(Continued from page 86.)

There have been two other explanations advanced to account for the glacial period, one geographical, the other astronomical; but I shall not discuss them further than to state them. The first is that the Gulf Stream was in some way prevented from entering the north temperate regions, which were then rendered much cooler. That this might easily happen is admitted; and that if it should happen it would produce a marked effect upon the climate of the North Atlantic basin is certain. The second theory is that, owing to certain rather complicated astronomical changes, the climate of the north was rendered cooler. That these changes occur, all will admit; but whether they are sufficiently marked in their effect to revolutionize the climate is a matter which even the former advocates of the theory do not press with the vigor which they formerly did. Astronomical combined with the geographical causes above mentioned is the theory now advanced most commonly; but for my own part I am inclined to place more stress upon the latter than the former, though, at the same time, it must be admitted that neither theory can be pressed with confidence.

How long did the glacier remain? Here again we can give no definite answer; indeed, we are even more at loss than in the attempt to explain the glacial period. Some believe that the ice covered the land for a great many thousands of years, even hundreds of thousands, and that it was not a single glacial period, but several, between which were periods of warmth, when the ice melted and the land was again clothed with vegetation. American geologists, in most cases, believe there were two periods of glaciation, while some leading European glacialists believe there were four or five such periods. On the other hand, there are some, both in America and Europe, who believe that there was but one glacial period, and that this was a comparatively short one, perhaps not lasting more than thirty or forty thousand years, which, when compared with geological ages, is but a short time.

Another question which may be asked is, When did it disappear? Here again we are not in a condition to state anything definitely, though we are fortunately possessed of some data upon this point which are of value. It is known that before the oncoming of the last glacial epoch the drainage of the great lake region was quite different from the present. There is near the Niagara River a channel, which crosses the river at the Whirlpool, and is the cause of this whirl, which in pre-glacial times was formed and occupied by a river, the predecessor of the Niagara. It was filled with drift by the glacier, and so, when the ice left the land, the drainage had to form a new channel, being forced out of its own. This it is now doing, having started at Queenstown and cut its gorge back to the present Falls of Niagara. This work is chiefly, if not entirely, post-glacial, and if we could obtain a measure of the rate of erosion we could estimate roughly the length of time required for the work, and hence the date when the ice left the land at this point uncovered.

Seeing the importance of this, the New York State Geologist had a map made of the falls nearly fifty years ago, and a few years since a resurvey was made, so that there was a basis for an estimate of the time required for the construction of the gorge. In forty-eight years the American fall retreated 30 feet and the Horse-shoe fall 104 feet. The total length of the gorge is about seven miles. There are many variable factors entering into the problem, for there may have been more rainfall formerly, the amount of sediment may have varied, a part of the channel may have been of drift, and other variations may have occurred. Those who have studied the problem carefully and have given the results of their study in figures have placed the amount of time required at from 7,000 to 20,000 years, while Lyell has estimated 35,000 years.

A study of the Falls of St. Anthony, in Minnesota, which have had a similar history, shows that they have retreated about 900 feet since 1680, when they were discovered, and upon this basis the estimate has been made that the close of the glacial period was from 7,000 to 10,000 years ago. There are other evidences which seem to show that the end of the glacial period was not more than 10,000 years ago. This evidence comes chiefly from a study of the deposits left by the glacier, which, in many cases, are surprisingly unchanged by erosion. This could hardly be the case if they had been exposed to the destructive action of atmospheric agencies for a much longer period than 10,000 years. Still, estimates in years must be considered somewhat untrustworthy.

A word or two about the effects of the glacial period is all that can be given in so short an article. It completely altered all details of scenery and of soil. In and on the ice near its end there were quantities of gravel, clay, and boulders, while beneath it these materials were dragged along as a ground moraine. While the ice was moving, this drift was used by the ice to plane down the hills, to wear out the valleys, and to crush up the loose material into the finest clay. Like a piece of sandpaper, it moved, over the rocks, polishing and

grooving them, as any one can see who will examine a freshly exposed ledge in a glaciated region, or the pebbles themselves which occur in the till or unstratified drift. The ice plucked off boulders and pried off fragments with which to scour the rocks, and there is a school of glacialists which holds that this scouring action of the ice was in places of great force, even causing the formation of deep rock basins, in which lakes now exist.

The more moderate school, however, is of the opinion that the effects of the glacier were constructive rather than destructive, and these effects are certainly more apparent. The soil of the country was completely removed, and in its place was left a bowlder clay, often, as in New England, far too rocky for the agriculturist. The soil is strong because it contains all the elements of the rock, ground to a flour, and never robbed of its plant-forming elements. Before the ice came the soil of New England was very much like that of the Highlands of New Jersey south of the terminal moraine, and one can see the difference in the soil in that State north and south of this line.

The river courses were changed by the sheet of drift which the ice deposited without regard to the contour of the country. Many rivers, such as Niagara, were forced to carve out new channels, and hence the waterfalls and gorges which abound in the glacial region. Others remained in their valleys, but here and there were partly turned aside from their old channels, and in these cases we have small gorges and rapids, where they have settled down through the drift on some rock spur. Where their channels were crossed by drift barriers, lakes were formed, and in the terminal moraine, as the material is called which was deposited at the margin of the melting ice, many lakes are found in the irregularities of the drift deposit. In Minnesota there are fully ten thousand lakes in one way or another the result of the recent glaciation. In New England there are also thousands of lakes and lakelets and swamps which are in many cases nothing but filled up and partly drained lakes or ponds. The Great Lakes are also partly the result of drift barriers.

The streams flowing from the melting glacier were flooded with water and filled with sediment, and terraces were formed, such as those of the Connecticut and of many other streams in the glaciated regions, and even south of it when they received their supply from the glacier. Many other forms were produced by the ice, the kames, drumlins, moraines, and others, all of which add novelty to the scenery of the region where they are found. We owe much to the glacial period, and it is probable that had it not occurred the history of our country might have been quite different, for perhaps even the present climate is a relic of the ice advance. There certainly has been a time when the life of temperate zones extended far within the Arctic circle, and it is not for us to say that there is not some great cycle of climatic change even now in progress, but which in a few hundred years is inappreciable.

The World's Columbian Exposition.

In ground frozen hard the foundations were recently commenced of the large structure to be known as Festival Hall, near the Horticultural Building. Cold chisels and sledge hammers were necessary to start the work. It is promised the new building, which will be one of the notable architectural features of the Fair grounds, will be completed before April 1. It will be used for a choral hall and dedicated solely to music. In style it is pure Doric, which makes it simple and severe in architectural treatment, but massive and striking in appearance. Added to its other charms is the location. Directly fronting the lagoon, across which will be the wooded island with its treasures of landscape gardening and green shore, no more favorable spot could be chosen for a temple to inspiration. F. M. Whitehouse, of Chicago, is the architect. In form the building will resemble an amphitheater surmounted by a dome. On the four sides will project porticoes, the one facing the lagoon being the principal entrance. The porticoes will be enriched with fluted Doric columns six feet and a half in diameter. From the front portico a spacious flight of steps will lead to the entrance, and at the foot of the steps will be two reproductions of celebrated marble statues of the great composers—Handel and Bach. On either side of the main portico will be panels in relief work representing the progress of music, and in the panels over the doors will be relief portraits of Gluck, Berlioz, Wagner, Schumann, Schubert, Mozart, Mendelssohn, Bach, Handel, and Beethoven. The interior is designed after a typical Greek theater, except that the chorus of 2,500 voices will occupy the space assigned by the Greeks to the stage, which will have the effect of rendering the interior amphitheatrical in form. There will be no galleries to obstruct the vision or deteriorate the acoustic properties of the building, which will seat 6,500 people.

In the selection of works of art to be displayed in the Palace of Fine Arts, the juries appointed to decide upon what works should be admitted have pretty generally concluded their labors. In each of the greater

cities of this country there have been submitted hundreds of paintings, and from these have been selected the very best. In New York more than 800 canvases were hung for inspection and 375 were accepted. In Boston the examination was even stricter, and 128 out of 600 were accepted. The Philadelphia jury rejected 400, and will send to Chicago 112 paintings. Of the American canvases owned in Europe, the inspection was equally strict. The Paris jury, composed of the very best art critics of the day, accepted 156 canvases out of a total of 840 submitted. And so it was in London, Rome, Berlin, Venice, and Naples. The work of installation in the art palace will begin about March 1.

The extensive exhibit of the great Krupp Company, of Essen, Germany, is beginning to arrive on the grounds. The first consignment of material arrived by the British steamer Gardafee at Baltimore early in January, and special cars were built for its transportation by the Pennsylvania Railroad Company, the gun trucks being from designs furnished by the Krupp Works, and being the largest ever built. The car that will carry the great 124 ton gun, which has not yet arrived, is a flat truck on thirty-two wheels. The carriage of the big gun, which has first arrived, weighs 38,500 pounds, and the frame weighs 55,000 pounds. Among the other first arrivals are the carriage and frame for a 30.5 centimeter gun, whose combined weight is 80,960 pounds, carriage and frame for a 21 centimeter gun, weighing jointly 19,490 pounds, an 85 ton traversing crane, with its equipments, the whole aggregating 56,650 pounds. One 12 centimeter gun, weighing, with carriage and shield, 18,150 pounds, one 8.7 centimeter gun, weighing, with carriage, 7,854 pounds, and one 7.5 centimeter gun, weighing 4,576 pounds. There are also thirty-two railroad tires, weighing 31,224 pounds, two locomotive driving wheels, thirteen pairs of car wheels on axles, and two car wheels without the axles, besides a number of pressed steel articles, empty projectiles, armor and boiler plates, and miscellaneous forgings and steam pumps.

The display to be made by Germany at the exhibition will be very large. The appropriation of the German government for Fair purposes is larger than that of any other foreign country, and the list of German exhibitors now contains 5,077 names. Represented in it are 230 cities and towns of the empire, and of these 40 cities send more than 10 exhibits each. Berlin leads with 283 exhibitors; Munich follows with 187; Leipsic with 149; Frankfurt, 55; Hamburg, 57; and Chemnitz, 41.

Nearly \$6,000,000 has been appropriated by foreign governments and about \$3,000,000 by the several States of this country for appropriate representation at the Fair, as follows:

FOREIGN APPROPRIATIONS.

Argentina.....	\$100,000	Hawaii.....	\$40,000
Austria.....	102,300	Honduras.....	20,000
Belgium.....	57,000	Haiti.....	25,000
Bolivia.....	30,000	India.....	30,000
Brazil.....	600,000	Japan.....	630,000
British Guiana.....	25,000	Jamaica.....	24,333
British Honduras.....	7,500	Leeward Islands.....	6,000
Barbados.....	5,840	Liberia.....	7,000
Colombia.....	100,000	Mexico.....	50,000
Costa Rica.....	150,000	Morocco.....	150,000
Canada.....	100,000	Netherlands.....	120,000
Cape Colony.....	50,000	Nicaragua.....	31,000
Ceylon.....	65,600	Norway.....	56,280
Cuba.....	25,000	New South Wales.....	243,325
Denmark.....	67,000	Orange Free State.....	7,500
Danish West India.....	1,200	Paraguay.....	100,000
Dutch Guiana.....	10,000	Peru.....	140,000
Dutch West India.....	5,000	Russia.....	46,320
Ecuador.....	125,000	Salvador.....	12,500
France.....	733,400	San Domingo.....	25,000
Germany.....	800,000	Spain.....	214,000
Great Britain.....	291,000	Sweden.....	108,000
Greece.....	60,000	Trinidad.....	15,000

STATE APPROPRIATIONS.

Arizona.....	\$30,000	Nebraska.....	\$50,000
California.....	300,000	New Hampshire.....	25,000
Colorado.....	100,000	New York.....	300,000
Delaware.....	10,000	New Jersey.....	20,000
Idaho.....	20,000	New Mexico.....	25,000
Illinois.....	800,000	North Carolina.....	25,000
Indiana.....	75,000	Ohio.....	100,000
Iowa.....	125,000	Pennsylvania.....	300,000
Kentucky.....	50,000	Rhode Island.....	25,000
Maine.....	40,000	Vermont.....	15,000
Massachusetts.....	75,000	Washington.....	100,000
Michigan.....	100,000	West Virginia.....	40,000
Minnesota.....	50,000	Wisconsin.....	65,000
Missouri.....	150,000	Wyoming.....	30,000
Montana.....	50,000		

It is proposed in Paris to construct a gigantic reflecting telescope, the mirror of which is to be 10 feet in diameter and the length of the tube 140 feet. It is to be ready for the exhibition which is to be held in Paris in 1900. The mirror is to be silver on glass.

M. Trepied, director of the Observatory of Algiers, discusses the magnifying power of such an instrument. The French papers, in announcing the project, made the statement that this instrument would bring the moon within one meter. M. Trepied shows that with the highest practical power, in the best atmosphere, the moon would be seen as if it were 25,000 meters or 15 miles distant.

Steel Axles.

One of the most specious arguments used against steel, the *Railroad Gazette* says, is deduced from the mileage of broken axles, which often show that the average mileage of the broken steel axles is less than that of the iron. This is by no means a conclusive argument; for if the statistics of the axles still running be examined, it will almost invariably be found that steel has proved more durable than iron. The explanation of this seeming anomaly is simple. A new steel axle which has a flaw or is "nicked" in any way is doomed from the start. The crack will gradually but surely spread in the homogeneous material, and the axle will fail or be condemned for a growing flaw after a comparatively short life. The remaining axles, being sound, will continue to run and give a long mileage, and when finally removed will still be sound, though worn below the minimum size. The iron axles, on the other hand, begin the progress of disintegration at once. The more or less imperfectly welded fibers begin to separate, and after a certain time the great majority have been condemned, while the greater number of the steel axles are still running, though possibly none of the iron axles failed as soon as the faulty steel ones.


Steel, however good and suitable in quality, cannot stand unless it is also of suitable form. Some have very incorrectly stated that the section of steel exposed to heavy service should be alike throughout. A car axle, according to this dictum, should be of the same diameter throughout its length. This form, however, was abandoned in the very early days of railroads, owing to the persistency with which fractures occurred just inside the wheel hubs. The true law is manifestly that the section should vary according to the strain, and that the strains should be as nearly uniform as possible throughout the axle, subject to the proviso that there should be no sudden change of form. It will be found that steel fails where this rule is disregarded and stands where it is observed.

One instructive instance is found in the well known case of the bolts by which armor plates are attached to a ship's side. The hard wood backing used between the armor plate and the skin of the hull compresses when the armor is struck by a shot, and its rebound fractured all the bolts tried until Palliser brought out a bolt in which the shank was reduced until its cross section was somewhat smaller than that at the bottom of the threads. When the rebound took place, this bolt stretched a percentage of the whole length of the shank, while with an ordinary bolt the stretch could only take place at the bottom of the threads, and this distance was too short in which to cushion the blow. A large number of failures of steel would never occur if attention were paid to the principle here involved and concentration of the maximum strain carefully avoided.

An Earthquake in Greece.

Early in the morning of January 31, the island of Zante, on the west coast of Greece, was severely shaken by an earthquake, during which many business houses were wrecked and the roof of a prison fell in, wounding many prisoners. Two hours later the city of Zante was shaken by repeated shocks, houses fell in all quarters, and the prison became so unsafe that many prisoners were removed. The people, in a panic, fled from the houses and crowded the streets and market place. Scores of families left the town to camp in the fields on the outskirts, and many dead bodies were

taken from the ruins, the government sending out troops with tents and provisions for the homeless. On February 2 and 3 other severe shocks occurred, which are said to have wrecked more than a hundred houses in the city of Zante, and proved very disastrous to several villages on the island. Thousands are said to have left the city to sleep in the fields.

**A SUGAR HOUSE IN CUBA—LA SOLEDAD.**

The island of Zante is 25 miles long and about 12 miles wide, having an area of 277 square miles and a population of about 48,000. The eastern part of the island is a fruitful plain skirted on the west by a range of limestone hills 1,000 to 1,200 feet high. The town of Zante, and its capital, has a population of 16,000.

Labor Troubles in England.

It is astounding nowadays what a small matter will result in a big strike. The men engaged in taking the slag from the furnaces at Barrow by means of two locomotives demanded a third, and on Sunday morning four men thus employed struck work because the duet had not been made into a trio. They were followed by the furnace men, and those employed at the steel works had to follow suit. Thus three thousand men have been thrown out of employment all on account of a donkey engine. The difficulty was all pieced up with the exception of the locomotive men, who, having left their work without notice, were not again taken on. The men demanded this, and the

NOTES ON THE SUGAR INDUSTRY IN CUBA.

BY HUMPHREY J. KIELY.

It is interesting and gratifying to note the rapidly increasing volume of business between the United States and Cuba. The wonderful natural resources of this fertile island, appropriately called "The Pearl of the Antilles," offer many opportunities for the profitable investment of capital and for the consequent introduction of machinery and various mechanical appliances useful and in many cases necessary in the preparation of the products of its fruitful soil. The island is about 600 miles long, 21 miles wide in the narrowest part and 111 in the widest, and is distant 130 miles from Florida. It abounds in forest woods and produces all the fruits of the tropics in great abundance. It is only within recent years that our trade has increased with this country, and the late reciprocal arrangement has done much to extend that trade, especially when it is remembered that the agricultural commodities produced there are as essential to us as our manufactured products are to Cuba. The min-


eral wealth of the country, consisting of gold, copper, iron, manganese, asphalt and marble, is immense, but the staple product of the island is sugar, and more capital is invested in the cultivation and manufacture of this one article than in all the others combined. The production this year is estimated at 1,000,000 tons, as against 800,000 tons last year, and the limit of producing capacity has not yet been reached, as large tracts of land are still available for cultivation, and the world's demand is constantly increasing. It is the largest sugar-producing country in the world, the climate and soil possessing just the qualities required for the cultivation of sugar cane, and it is not unusual for a visitor to have pointed out a field from which yearly crops have been taken for a score of years without the aid of fertilizer of any kind. Before the emancipation of the slaves, about twenty years ago, when the plantations were numerous and the price of sugar high, the margin of profit was so great that little attention was paid to economy in production or the use of labor-saving machinery. Many of the small plantations with

their primitive methods have been abandoned, and it is not an unusual sight traveling through the country to come upon the ruins of a once prosperous estate looking desolate and gloomy with its crumbling walls and tottering chimney, and to see flowers and shrubbery flourishing amid the wreckage of its dismantled machinery. This has been due in a great measure to the competition of beet sugar, and now large central factories, fewer in number but far greater in capacity, have taken the place of the numerous small estates.

It is difficult to conceive, without a personal inspection, the immense size and magnificence of the equipment of these central factories, but some idea may be gained from the fact that they each represent an investment ranging from \$200,000 to \$1,800,000, and comprise in some cases 10,000 acres each. Central Caracas, probably the finest estate on the island, is valued at \$1,800,000.

The central factories are usually an assemblage of very large roomy frame

structures, in which work goes on night and day without intermission during the entire grinding season, which commences late in December and ends in May. In some factories work is suspended a few hours Sunday morning for the purpose of oiling and cleaning the apparatus, but this practice is not general. The cane is plentiful and each vies with the other in striv-



This engraving shows the bagasse carrier arranged on top of the furnaces, through openings in which the bagasse is delivered, and passes to the fires.

A SUGAR MILL, CUBA—THE BAGASSE CARRIER.

general manager promised to deal leniently with them, but refused to take them back into the employ forthwith. Hence the continuance of the strike on so frivolous a pretext. And this at a time when trade is exceptionally bad, when orders are scarce and profits practically nil, and when trade prospects are as gloomy as they well can be!—*Ironmonger.*

ing to produce the greatest number of tons, a ready market being found for their entire production. Every hour's delay, therefore, means its equivalent financial loss to the planter, and a serious accident to the machinery, entailing suspension of work, brings with it disastrous results. To guard against this every precaution is taken, and duplicate parts are kept constantly on hand, and the resources for making quick repairs include on the principal estates a fairly well equipped machine and blacksmith shop, and in one case at least—"Central Constancia"—a foundry also. The large estates are also traversed by their own railroads, and locomotives and cars for transporting the cane form part of their equipment. These factories are filled with the most costly machinery of the best workmanship and material, and the whole process of manufacture is, by means of mechanical appliances, almost automatic in its character, as evidenced by the comparatively few laborers found employed. The field hands are, however, numerous, and include males and females of all ages. They are employed cutting cane in the fields, which is transported on railroad cars and heavy carts drawn by powerful oxen to the factory, and there deposited on the slowly moving cane conductor. This is the initial step in the manufacture, and the manual labor practically ends here, as from this time until the sugar is bagged the process is almost entirely mechanical. The cane conductor is one of the most important parts of the equipment, as the stoppage of this cuts off the supply of cane and necessitates the shutting down of the entire plant. The conductor is, therefore, of the best construction, and is usually 125 feet long by 6 feet wide, and extends outside of the main building to allow the cars and carts to run alongside and discharge their contents upon its surface. The cane is piled on haphazard and usually lies in a mass about 2 feet deep on the carrier, as it approaches the crushing rolls at a speed of 15 feet per minute.

The mills through which the cane passes are composed of three heavy chilled steel rolls 38 inches diameter by 7 feet 6 inches long, each weighing 12 tons, and connected by massive gearing. The power required for their operation averages 180 horse power. Notwithstanding their immense size, these rolls spring when grinding, as the great mass of cane is forced through a very small space, the receiving inlet being $1\frac{1}{2}$ inches and the outlet $\frac{1}{4}$ inch. Their average cost, including the engine, is \$30,000.

The cane emerges from the rolls crushed and shredded, the extracted juice running by its own gravity in canals to the defecators, from which it passes through the various stages of manufacture until finally discharged from the centrifugals in dark brown crystals ready for bagging.

In nearly all centrals two mills and in some cases three are used, in order to get the greatest possible extraction of juice from the cane.

The crushed cane, after passing through the last mill, is called bagasse, and was formerly taken by hand and spread to dry in the sun, and when thoroughly dried carried back and used as fuel. The system now employed, however, is more in keeping with

the general marked improvement made in recent years in sugar machinery.

By the present method the green bagasse is discharged direct from the mill on to a bagasse carrier, which consists of two endless link belts running parallel in a wooden trough, with hard maple flights attached at suitable intervals. In this conveyer the

is here afforded for improved machinery and labor-saving appliances, and also how valuable and essential they are to the planter, as without their aid it is practically impossible to produce the product with sufficient economy to compete with others possessing these advantages. The United States is certainly in a most favorable position to develop and by energetic

canvass greatly increase this trade, as the present reciprocity treaty admits machinery of American manufacture free of duty, and imposes a heavy tax on the same machinery of foreign manufacture. Coupled with this great advantage is the fact that frequent steamers from New York arrive there within four days, while the comparatively few freight steamers from Europe are usually 16 days in transit.

The average selling price of a bag of sugar is \$10, and the estimated cost of manufacturing same \$6. It has been stated by those in a position to know that the average net profit to the manufacturer is \$1.50 per bag, and as few of the estates turn out less than 50,000 bags per season, it will be seen that the necessary large investment is warranted by the handsome returns.

Illuminating Parades from Trolley Wires.


In Wilmington, N. C., the Street Railway Company, of which John H. Barnard is general manager, exhibited during a recent trades parade an ex-

remely simple solution of the problem of satisfactorily illuminating floats for night parades. For the interesting occasion, the Wilmington Street Railway Company offered to take contracts for lighting the floats with incandescent lamps. By several this offer was accepted, and so gratifying were the results that it is most probable that hereafter this method will be exclusively employed. To obtain contact with the trolley wire a very simple trolley was devised. A piece of stiff spring brass wire was coiled in two planes, the lowest

coil being fastened to the float. The horizontal coils afforded ample side motion, while the vertical ones gave good upward pressure against the trolley wire. From this various circuits were led about the float, the lamps being connected up five in series. The ground connection was very easily obtained by a little car with iron wheels six inches in diameter, built to fit the gauge of the track, which was towed under the wagon on which the float was built.

Thirty 16 c. p. lamps were found to give a splendid illumination to a very large float, and this, with the simplicity and small cost of the arrangement, makes it quite certain that practically all floats shall be so lighted in the annual parade next year. As their own exhibit the Wilmington Street Railway Company arranged a float on which was seated Benjamin Franklin drawing electricity from the clouds. His kite string consisted of a light bamboo pole, on the end of which was a broad sheet copper contact shoe. This shoe

was entirely hidden by the kite, while the bamboo pole was concealed by a dark colored covering, from which fourteen incandescent lamps protruded. The fifteenth was dropped and illuminated the Leyden jar. This float being built on a flat car, the ground contact was obtained through its wheels.—*Street Railway Review*.




The endless belt cane carriers are seen in the distance. The cane is brought from the fields in carts alongside the carrier belts and thrown upon them, and by the carrier belts the cane is delivered to the crushing rolls.

A SUGAR MILL, CUBA—EL SAN FRANCISCO.

bagasse is transported usually a distance of two or three hundred feet to the bagasse burners, and is there automatically discharged into the furnaces especially constructed with forced draught for burning this material.

From this brief description it will be seen that the cane, just as it is cut from the fields, contains within itself not only the raw product, but also the fuel from which the motive power to convert it into the finished article is derived. This is a most important considera-



The crushing rolls are seen at the right, also the cane carriers, which deliver the cane to the rolls.

A SUGAR MILL, CUBA—EL SAN FRANCISCO.

tion when it is remembered that the cost of coal averages \$14 per ton delivered. The owner of one estate paid \$12,000 for coal in 1889, and in the following year saved that amount by the introduction of bagasse burners and carriers. This system is now in use in nearly all of the estates.

It will readily be seen what an important market

How to Keep the Make Shop Free from Steam.

Quentin McGall, of the firm of McGall Brothers, of Orange Valley, has just devised one of the most useful inventions for the hatting trade that can be imagined, and he not only has devised it but he has demonstrated that it will work by practical tests. Every hatter is aware of the difficulty experienced in keeping the sizing department free from fog or condensed steam in the winter months, and many have been the plans devised for obviating the trouble. Hoods with exhaust fans have been placed over the kettles and fans have been placed in ceilings and on the sides to suck out the moisture, but none have been satisfactory, although the hoods over the kettles have worked the best. Since the trouble was caused by the cold air from the outside finding its way into the shop and there being condensed by striking warm moisture-laden air inside, Mr. McGall decided that if the air which came in could be heated it would help the matter. Consequently he had a large steam coil made, four feet square, and placed at one end of the new sizing shop recently put up by the firm. This he incased in a pine box, open at both ends. On the outer end he placed a large steam fan, speeded up to a high point.

When the apparatus was ready for the test the day was one of the coldest of the present season, and a good one to test the plan. The room was full of fog at the time. The effect when the fan was started was almost magical. The steam began to disappear at once, and in a few moments the room was as clear as the outside air and remained so as long as the fan was kept going. When the fan was stopped the steam at once began to accumulate, and in a few minutes the room was as bad as ever. The firm is now arranging to place the device in all their make shops, and other manufacturers have arranged to do the same. The advantages of being able to keep the making departments free from steam are many. The conditions are much healthier, and a better grade of work can be turned out.—*American Hatter*.

THE FONTAINEBLEAU PROVING GROUNDS.

The time when proving grounds were of limited size, and their organization included only a butt and a few epaulements, is already very remote. New conditions have been imposed by the fact of progresses of all kinds realized by artillery. The proving grounds of the present day must necessarily be of great extent and be equipped in such a way that it shall be easily possible to solve most of the problems that are submitted to the art of war. In order to set forth more clearly the economy of such theaters of instruction, it is well to take one example, and we shall, to this effect, select the Fontainebleau proving grounds.

These grounds, directed east and west, occupy in the forest (very near the city) a strip of cleared land, 5.6 kilometers in length by 200 meters in width. Aside from a few hillocks, exercising upon their environs a command of 5 or 6 meters, this strip is quite level. It rises solely by 50 meters at each of its extremities, which are, on the one hand, an eminence called Mail Henri IV., and on the other, a rocky plateau. In artillery practice, the firing is done in the east-west direction, in other words, the pieces are put in battery on the Mail side, and fire their projectiles toward the plateau.

As for the objectives, the arrangement of these is such that they present to the *personnel* charged with the execution of the firing the aspect of a striking reality. They are representations, as faithful as possible, of defensive means or various obstacles—of troops in the act of marching or that have come to a halt; guns in battery or drawn by horses; men on foot or on horseback, and in dispersed order or in mass, etc.

A few details here will not be out of place.

In the way of obstacles, we remark in the proving grounds under consideration various epaulements of

earth and a redan with escarpment wall, magazine shelter and guns in place. The redan is represented at B, in Fig. 2, which shows also a village with its church, A, a hermitage at H, and a certain number of pieces of walls. The village is made of boards. As for the walls figured, they consist of scantlings nailed to laths and painted white. The upper part, painted red, represents the coping, and a rectangle painted yellow, a door, etc. To an observer placed at a distance, the illusion is complete.

The study of the processes of representing troops is just as interesting. A board painted black and cut in such a way as to represent the head and shoulders of a man is held vertically by means of a picket driven into the earth. Here we have a sharpshooter crouching. An alignment of similar silhouettes offers the aspect of a line of infantry upon the knees. Nailed to the coping of a wall, it will give the idea of a series of defenders of the obstacle.

opportune moment, to effect rapid changes of objectives. Now, such changes are obtained by a play of silhouettes arranged in such a way as to appear or disappear as many times as necessary, and that, too, at the will of the instructor. We give here, by way of example, a description of a line of disappearing infantry, represented in the foreground at C, Fig. 2.

The apparatus consists essentially of a large wooden axle supported by wooden bearings and established, perpendicularly to the line of fire, at the bottom of a trench in the form of a flattened V. The object of this arrangement is to protect both the axle and the silhouettes that it controls from the effect of bursting projectiles. The silhouettes consist of a wire frame simulating the human form and over which is stretched a black fabric. Levers are arranged to permit of revolving the axle, and consequently of raising or lowering the silhouettes at will. The maneuver of them is intrusted to men who actuate them by means of an

iron wire cable, C (Fig. 2). The Fontainebleau proving grounds are equipped with eight lines of disappearing infantry, each 20 meters in length. Placed one behind another, they occupy an interval of 1,800 meters, whence it follows that their system, methodically utilized, permits of figuring the marching of a body of infantry gaining ground by successive bounds, and consequently constituting a movable objective. We also find in the proving grounds under consideration special apparatus designed to represent troops on a march and advancing and falling back in a continuous manner. A movable object of this kind (Fig. 2, F) consists of a system of two wheels or drums connected by an axle carrying uprights, to which are nailed horizontally arranged laths. Upon these latter are fixed silhouettes of infantry or cavalry soldiers. The traction, which may be effected in one direction or the other, is done by means of a cable drawn by a team of horses. The travel is about 700 meters. We must express our regret that, for want of space, we cannot here go into the very interesting details of this method of traction.

The installation, maintenance and maneuvering of these different objectives imply the organization of a force of operators. Now, as the maneuvering has to be executed in the course of the execution of the firing, this special force must necessarily be able to have at its disposal a certain number of shelters. Fig. 2 represents, to the left, the shelter formed for the men whose business it is to maneuver the line of disappearing infantry, C. Fig. 1 shows on a larger scale a few details of construction of this structure of security.

Essentially dismountable and of easy installation, a new model of low shelter comprises a full center arch of corrugated iron 1.5 mm. in thickness, composed of three parts riveted together and connected by angle irons; a plate closing the front provided with a sight hole 10 millimeters in height; a plate in the rear barring entrance to the shelter;

a plate assuring the protection of the latter; and, finally, a mask protecting the front. The weight of the iron plates does not, as a whole, exceed 950 kilogrammes.

In order to effect the mounting of the shelter, it is well to proceed as follows: Upon the bottom of an excavation 1.2 meters in depth are established the arch and the front and rear closing plates and the mask. These four elements once in place, a ditch is excavated around the whole, and the earth therefrom serves to cover the arch to a depth of 1.5 meters. On the side of the batteries the shelter must be protected by a mass of earth 3.5 meters in thickness, in which are methodically buried two walls of dry stones. The organization of the Fontainebleau proving grounds includes a dozen shelters of this kind, each of sufficient size to accommodate eight persons.

The schools of instruction in firing would not be a true means of teaching if the troops called upon to take part in them were not, at every instant, informed



TELEPHONING FROM BOSTON TO CHICAGO.

Opening of the American Telephone and Telegraph Company's Telephone Line from Boston to Chicago, by the Governor of Massachusetts, February 7, 1893. The picture shows a group of telephone officials assembled at the Telephone Building, 125 Milk Street, Boston. His Excellency Governor Russell speaking to Chicago; next behind the governor stands Lieut.-Gov. Roger Wolcott; at the right Adj.-Gen. Samuel Dalton.

Three scantlings, 1.33 meters in height, are painted black, and assembled jointly in such a way that the one in the center exceeds the two others by 30 centimeters. Here we have a man upright upon his legs. Let a certain number of these very simple apparatus be juxtaposed, and we shall have a line of infantry standing (Fig. 2, D). If, in distributing sharpshooters over the ground, it is desired to come still nearer the truth, it is necessary, instead of painting the scantlings black, to invest them with old wearing apparel.

Manikins of analogous structure and organization may serve to represent combatants grouped in a special manner, or staff officers, etc. As for the campaign guns, caissons and teams, they are, as well known, figured in conformity with the prescriptions of the committee of artillery of April 22, 1884. Silhouettes of sharpshooters are employed to represent the gunners.

In order to satisfy, in the rules, the exigences of the service of instruction, it is necessary to be able, at an

as to the results, good or bad, of their firing. It has, therefore, been necessary to organize a rational service of observation. To this effect the sites of the objectives have been numbered from 1 to 30, and small boards carrying numbers distributed as follows have been inserted in the earth: The proving grounds having been divided into three longitudinal zones, the sites numbered from 1 to 10 occupy methodically the left part, the sites numbered from 11 to 20 the middle portion, and the sites from 21 to 30 the right part. The establishment of this system of boards furnishes a sufficient number of datum points and permits of designating all the points of the ground with sufficient accuracy. The observers take their places in stations provided for the purpose, which are: (1) For campaign firing, the low shelters of the western route numbered from 1 to 4; those of Cormier, numbered 2 and 3; and (3) those of Salamandre and Redan; and for siege and place firing, the high shelters of Mont Morillon, Mont Aigu and of the Signal of Cormier. Each observer has assigned to him a transverse band (clearly determined) of the firing field. Thus, for example, the eight lines of disappearing objects pertain to the Cormier post No. 2. The results of the firing, duly observed, are immediately transmitted to the proper person by means of the telephone, for the grounds are provided with a telephone service. Two distinct lines, both starting from the Mail station, run, one of them along the north and the other along the south edge of the forest. These lines connect, between them, all the stations and shelters appropriated to the personnel of the different services—maneuver of the objectives, observation, telephone, and service of security.

A word or two touching the mode of execution of the latter, which is of prime importance: In its essence, such execution is nothing less than easy, considering the exceptional conditions of the grounds in question. The Fontainebleau proving grounds are, in fact, crossed by four frequented roads and a large number of paths. It is, moreover, surrounded with woods.

In order to prevent, as far as possible, all chances of accidents, vedettes and orderlies, as well as sentinels installed in stations, are employed. Charged with the service of surveillance at a great distance, it is the duty of the vedettes to bring pedestrians, horsemen and vehicles upon the roads, which, crossing the grounds, are carefully guarded. These roads are barred by orderlies, whose instructions are to open them only upon the order of the commandant of the firing schools. Posts of surveillance are installed around the grounds, the principal of these being that of the Mail, which occupies a dominant position. In

case the batteries are firing from the foot of the Mail, that is to say, when the zone to be interdicted is maximum, there is a concurrent and simultaneous operation of five posts of security (not including that of the Mail), each having its particular orders, viz.: Three posts of orderlies employed in guarding the Ronde, Orleans and Nemours roads; one post at the Puits du Cormier to watch the center of the field of fire, and one at the Salamandre to watch the back of the grounds. All these posts are connected by telephone and communicate with each other by the aid of sig-




Fig. 1.—A LOW SHELTER OF THE FONTAINEBLEAU PROVING GROUNDS.

nals, consisting of wooden frames covered with white cloth, which, when maneuvered, detach themselves very well from the dark background of forest trees. Moreover, acoustic signals are made when need be by a dozen trumpets. Upon the whole, the Fontainebleau proving grounds are, in a measure, a true stage upon which the low shelters (which are as it were the side scenes of it) permit the commandant of the schools of firing to operate changes of scenery, and even of view, at his will. This officer, in fact, cap, at will, move almost all the objects, cause the appearance or disappearance of batteries, lines of infantry and sharpshooters, and represent troops in march, etc. Hence it follows that it is possible for him to give representations of actions of war possessing the stamp of reality.

A director of maneuvers is, for example, able to cause a group of batteries to perform exercises of such a nature as to bring into relief the role that the artillery

is called upon to play when it is a question of its sustaining an attack and of afterward seconding a defense. The programme of such operations would be, for instance, as follows: The setting in action of a battery of the group (vanguard battery) to fire upon the first infantry troops of the enemy and cause the latter to deploy; the enemy retiring and the infantry having, by supposition, gained ground, the marching forward of the group in order to put itself in battery against a line of the enemy's artillery already in position, and to begin the artillery duel; the enemy's artillery disappearing, the changing of objective in order to fire upon the infantry as well as upon a village supposed to be garrisoned with troops; the taking of position in front of the village by the enemy's artillery, in order to support the attack of the infantry and that of a line of cavalry charging one of the batteries.


Now if the reader will be kind enough to impress his mind with the descriptive details above given, he will be soon convinced that such a programme can be easily carried out upon the perfected proving grounds of Fontainebleau. It is an intelligently equipped stage upon which are produced scenes that one has a right to take for true images of the operations of war. The young student officers of the School of Application who take part in these interesting exercises can but acquire therein correct ideas as well as the precocious experience indispensable to him who wishes to practice the difficult profession of artillerist with distinction.—*La Nature*.

The Silk of Spiders.

In the *Revue des Sciences Naturelles Appliquées* for March, 1892, there is a paper by Rev. P. Camboue on the silk of spiders. After giving

a history of the attempts to obtain and use the silk of spiders, he gives some interesting experiments of his own, made on a large orb-weaving spider of Madagascar, *Nephila madagascariensis* Vinson. He finds that the spider furnishes the most silk after she has laid her eggs. From one spider there was obtained in twenty-seven days nearly four thousand meters of silk—over three miles. The silk was of a golden yellow color. He gives the plan of an apparatus for winding the silk, which, however, as he says, is imperfect. Nothing, however, was done as to the raising and keeping of the spiders in large numbers, undoubtedly the most serious question.—*Nathan Banks*.

THE \$3,000,000 which the hat manufacturers of the country have got to hand over to the inventor of the sweat band used on hats affords a striking illustration of the value of genius when it makes a hit.



A. Village. B. Redan. C. Line of disappearing infantry. D. Line of standing infantry. E. Line of sharpshooters. F. Line of movable infantry. H. Hermitage.

Fig. 2.—WESTERN PORTION OF THE FONTAINEBLEAU PROVING GROUNDS.

RECENTLY PATENTED INVENTIONS.

Engineering.

BOILER FURNACE.—Thomas J. Grosh, Savanna, Ill. The exterior cylindrical shell of this furnace has an inverted cone-shaped lower end forming a water compartment within which is the fire box, water flues in the inner surface of the sides and top of the shell extending within the combustion chamber, while a sleeve connects the top of the fire box with the removable cover of the shell, and a filling tube extends through the sleeve to deliver fuel to the fire. The water flues have their ends expanded and caked in the top and sides of the fire box, and the boiler is designed to be very effective, while avoiding all possibility of leakage at the tubes.

VALVE GEAR FOR STEAM ENGINES.—Thomas M. Pusey, Westchester, Pa. Within a casing mounted to turn and driven from the main driving shaft is a wing mounted to oscillate, and acted on by steam leading to the casing from the steam chest, while springs press on opposite sides of the oscillating wing and a shaft carrying the wing has a crank arm connected with the sliding valve for the inlet ports of the engine. The construction is simple and durable, and the valve is designed to utilize the steam to the fullest advantage.

VALVE FOR HYDRAULIC MACHINERY, etc.—John W. Cabot, Boston, Mass. The valve body, according to this improvement, has connected cylinders with an inlet and outlet, and exhaust, in combination with two apertured valve seats, one between the inlet and outlet and the other between the inlet and the exhaust, apertured valves turning on these seats, and so arranged that when one opens the other closes. No gaskets, soft packing rings, etc., are employed in the valve, which is arranged to take up all wear and prevent leakage, so that, without any especial adjustment or attention, the machinery in connection with which it is used will stand motionless at any desired position without requiring additional hydraulic pressure.

STEAM BOILER AND WATER HEATER.—Thomas C. Andrews, New York City. This boiler comprises several sections, one on the other, secured together, with a central heat compartment and a hot water chamber around it in each section, all communicating, while there are communicating water return chambers exterior of the hot water chambers. The construction is designed to afford low pressure steam if desired, or hot water, for house warming purposes, in the most efficient manner.

Railway Appliances.

CAR COUPLING.—Arthur F. Nesbit, Milton, Pa. An arm having a projecting lug extends vertically into the link recess of the drawhead and rests against shoulders, while a lever fulcrumed on the drawhead carries the pivot for the upper end of the arm, the lug on the latter engaging the under side of the lever. The device is of simple and durable construction, the coupling taking place automatically as the cars come together, while the uncoupling may be effected either from the side or top of the car.

CAR COUPLING.—George S. Gaines, Corona, Ala. This is an improvement on a formerly patented invention of the same inventor, where swinging fenders were used to guide an arrow-head coupling link between the pin and a spring-bearing plate, to hold the link in coupled position. By the improved construction, the fender plate is rigidly held in the drawhead, and the rear end of the link is allowed free lateral play, while the apex or bent edge of the fender is arranged slightly in advance of the pin, and the link head is guided to pass the pin and engage the yielding spring plate.

Mechanical.

CARPENTERS' SQUARE.—Harry M. Stocking and Eugene L. Vroom, Castleton Corners, N. Y. This is a separable square, its arms being readily taken apart to pack the tool in small space, while it is of the exact shape of a one-piece square when its arms are locked in position. The locking mechanism is so located that it is not visible, and cannot interfere in any way with the use of the square, and this mechanism can be operated by a nail, the shank of an awl, etc.

CAM.—Giacomo Parcho, Sierra City, Cal. This improvement consists of two cam arms, each having a half hub, one of the arms having a slot extending on both sides of the half hub and adapted to be engaged by a tongue extending to both sides of the half hub of the other cam arm. The cam thus constructed may be conveniently and securely attached to a shaft without disturbing the other cams, or removing the shaft from its bearings.

GUIDE FOR STAMP MILLS.—Edmund Major, Terraville, South Dakota. This is an improvement on a formerly patented invention of the same inventor, providing for quickly and conveniently adjusting the several parts to take up wear, and without removing the blocks. The invention consists of a keeper adapted to be fastened to a girtorail formed with downwardly and outwardly inclined sides, a flange being held adjustably on the keeper.

BUTTON TURNING MACHINE.—Martin Woods, Newark, N. J. A hollow drive shaft capable of endwise and rotary movement has at one end an interior beveled surface and is connected at the opposite end with a clutch, a spring bearing at one end on a fixed support and at the other end against the clutch, while a shaft turning in the hollow shaft has at one end a chuck with a conical surface to engage the beveled surface of the hollow shaft, a lever being connected with the clutch, by the manipulation of which the drive shaft is carried into frictional engagement with the chuck. The machine is very simple, works rapidly, and the cutting tool may be conveniently sharpened.

Agricultural.

BROADCAST HAND SEEDER.—Harm H. Franzen, Golden, Ill. The seed is carried in a bag suspended by a strap from the shoulder of the operator, and from one side of the bag at its bottom extends a telescopic sowing spout, in the outermost section of

which are barriers to deflect and scatter the seed as it leaves the spout, there being also in the rear section of the spout a valve to control the quantity of seed delivered. The spout is turned or thrown from side to side to throw out the seed with force, and scatter it over a large area. The spout may be removed when going to or coming from the field, and the whole device takes up but little room.

ANIMAL HOLDER.—Oliver M. Kelso, Rock Rapids, Iowa. This is a cheap and convenient device for fastening together the feet of a hog, sheep, calf, or other animal, holding them comfortably and so the animal will not be injured. A bar with reduced rounded portions fits against the legs, and sliding yokes span its reduced portions, the yokes embracing the legs of the animal, here being sliding clamping pieces on the yokes, and fastening devices to secure them in position.

Miscellaneous.

KITE.—John W. Davis, New York City. This is a strong and collapsible kite, which may be folded in small space and carried on shipboard, and to be connected with lines so that it can be steered to carry a life line ashore or to drag a spar, buoy, or other article to the shore. On opposite sides of the center of the kite are secured bridle comprising several cords having their attached ends in alignment, flying lines being secured to the free ends of the bridle, and the kite has cross ribs, with a separate steering line secured to a cross cord connecting two of its projecting ribs.

STONE SEPARATOR.—James Cornelius and Edmund R. Collins, Brooklyn, N. Y. This is an improvement in machines for extracting stones from clay, that the clay may be cheaply and easily worked to produce a fine article in the way of porcelain, tile, and similar materials. The clay-feeding machine has a discharging nozzle, in which screens are held and adapted to move transversely, so that one screen follows and replaces another, the screens having inwardly extending stone-removing flanges.

TICKET PRINTING APPARATUS.—Albert R. Abbott, Boston, Mass. This is an apparatus designed to print all kinds of tickets, number them consecutively, and count the total of all the tickets issued as well as the total of each especial kind. The apparatus is more especially designed for use in heater ticket offices, on railroads, etc., enabling the operator to at once print and issue a ticket to any point or for any seat, and preserve a complete record of all the tickets thus issued.

BANK CHECK, ETC.—William T. Doremus, Flatbush, N. Y. This is an improvement on a formerly issued patent of the same inventor, providing an improved form of bank check, draft, or other like money order, to prevent changing, altering, or raising the instrument, which is made with spaces, numerals, and lines so arranged as to prevent fraud when filled out. A stub-like extension has spaces in each coupon division to contain a separate figure of the series in regular order, facilitating the writing of the signature under proper numerals, and serving as a readily discernible check on the amount.

TROUSERS HANGER.—Adolph Feiner, Lexington, Ky. Two body strips are arranged parallel and adapted to slide independently, and removably connected thereto are tabs constructed to received buttons and arranged in pairs, the tabs of each pair having a hinge connection. The device is simple and inexpensive, and can be quickly applied in such manner as to support the trousers to give to them the most desired shape.

CLOTHES PIN.—John B. Lockwood, Helmsville, Montana. This pin consists of two pivoted members, one end forming a handle and the other a clamping jaw, there being a cam surface on the outer face of one handle section and a latch pivoted to the handle of the opposite section. The pin may be quickly and conveniently locked upon or unlocked from a line by using only one hand.

CAKE CUTTER.—Anders A. Soderberg, Boston, Mass. A frame carrying two rollers is designed to be run over the dough of which the cakes are to be made, the rollers being each armed with part cutters, whereby one part of each cake is cut by one roller and the other part by the other roller. The device is designed for both bakers' and family use.

Designs.

PATTERNS FOR TEXTILE FIGURES.—Jean Pierre Gelas, St. Etienne, France, has obtained three patents for designs, of which the leading feature of one is a button-like figure consisting of intersecting band-like figures, each composed of parallel strands, giving a ground work of hatched appearance. Another design has intersecting right-angled band-like figures, the middle portions being given a twisted columnar appearance, and the background having a wavy surface. In his third design, band-like and strand-like figures are produced in low relief, and are given a broken or plaid-like appearance, serving as a background for the strands and bands.

ORNAMENTATION OF GLASS.—William L. Pilkington, St. Helen's, England. In the surface of the glass oblique, parallel V-shaped grooves intersect and divide the surface into rectangular figures, in each of which is a depression, the four walls of the depression converging to a common center.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date of this paper.

NEW BOOKS AND PUBLICATIONS.

THE AMERICAN GLOSSARY OF ARCHITECTURAL TERMS. By Geo. O. Gamsey. Chicago, Ill. Large 8vo, cloth. Price \$2.00.

The definitions are concise, and the illustrations are printed on the left hand page and definitions on the right hand page. The work is undated, and we regret to say unpagged, but we learn from the preface that it is the third (1892) edition. The work makes no pretence to being a fine art volume, but is a thoroughly practical work for the

use of students, builders, and architects. On the whole, it bears companion with Parker's Glossary of Architecture.

THE CELESTIAL PLANISPHERE. Price \$3.00.

THE CELESTIAL PLANISPHERE HAND BOOK. Compiled and edited by Jules A. Cowles. Chicago: Poole Bros. 1892. Pp. xiv, 110. Price \$2.

It is difficult to imagine how astronomy could be studied under more favorable auspices than with this planisphere and the very elegantly illustrated descriptive hand book accompanying it. The planisphere is of the usual type, except that, a skeleton screen being used, almost the entire sky area is uncovered. This in itself is a distinct advantage. Special scales for measuring polar distances and declinations accompanying the planisphere. The book and planisphere together give an admirable popular presentation of the heavens, and the two used as companions will, we are sure, meet with much appreciation. We feel that they can be warmly recommended to the public who are interested in distant worlds.

KASMAI IDIOMA. Gramatika uti Nove Prata Kiamso Orba. Da José Guardiola. Paris: Garnier Hermanos. 1893. Pp. 97.

The above is the title in the new Orba tongue of a little grammar for beginners in Sr. Guardiola's rival to Volapuk. The translation of the above title is "Universal Idioma. Grammar of a new language called Orba. By José Guardiola." The work marks a new attempt to create a universal language for use in commerce and for travelers. The author has not studied Volapuk. He therefore starts upon an unprejudiced basis. He aims at the production of a melodious language, trying to cut out all disagreeable sounds. Twenty-one of our letters suffice for his alphabet. Simplicity has been selected as the author's guiding star. One conjugation, undeclined nouns, the use of prepositions for the oblique cases are characteristic features. Less than three pages comprise the necessary syntax. The text of the book is in Spanish, and the treatment of the subject is remarkable for its scope and style.

Any of the above books may be purchased through this office. Send for new book catalogue just published. MUNN & CO., 361 Broadway, New York.

SCIENTIFIC AMERICAN BUILDING EDITION.

FEBRUARY, 1893, NUMBER.—(No. 88.)

TABLE OF CONTENTS.

1. Elegant plate in colors, showing a very picturesque dwelling at St. David's, Pa. Floor plans and perspective elevations. An admirable design. Mr. N. Trumbauer, architect, Philadelphia, Pa.
2. Plate in colors showing a residence at Bridgeport, Conn. Two perspective views, one interior view and floor plans. Messrs. Longstaff & Hurd, architects, Bridgeport, Conn. An excellent design.
3. A model dwelling at Holyoke, Mass., erected at a cost of \$6,000 complete. Perspective views and floor plans. H. W. Coolidge, architect, Holyoke. A pleasing design.
4. A cottage erected at Cranford, N. J., at a cost of \$5,000. Floor plans, two perspective views, etc. F. W. Beall, architect, New York.
5. The First Baptist Church recently erected at Warberth Park, Pa., at a cost of \$6,000. A unique design in the Gothic style of architecture.
6. A residence recently erected at Bridgeport, Conn., at a cost of \$5,900 complete. A picturesque design. Perspective elevation and floor plans. Mr. C. S. Beardsley, architect, Bridgeport.
7. An elegant residence recently erected at Newton Highlands, Mass. Perspective view and floor plans. Cost complete \$6,472.
8. An attractive design for a suburban dwelling at Holyoke, Mass. Perspective elevation and floor plans. Messrs. Gardner, Pyne & Gardner, architects, Springfield, Mass.
9. A row of model dwelling houses on West Sixty-eighth Street, New York City. An exquisite design. Floor plans and perspective.
10. A cottage at St. David's, Pa., recently erected at a cost of \$5,100 complete. Floor plans and perspective elevation. Messrs. F. L. & W. L. Price, architects, Philadelphia.
11. Views of the extensive red sandstone quarries at Potsdam, N. Y., together with views of various public and private residences built of Potsdam red sandstone.
12. Perspective and floor plans for an architect's residence at Buffalo, N. Y.
13. Miscellaneous contents: Architecture in brick—Architecture and the phonetic arts.—The housing of workers.—Concrete roofs.—Roman temples.—An automatic perspective machine, illustrated.—Drake's Columbus drinking fountain.—Sleigh bells.—A planing machine requiring little room, illustrated.—An improved side and roofing tile, illustrated.—An improved spring hinge, illustrated.—An improved hand planer and jointer, illustrated.—To darken oak.—An improved automatic water gate, illustrated.

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITECTURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural Publication in the world. Sold by all newsdealers.

MUNN & CO., PUBLISHERS,
361 Broadway, New York.

Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue

Acme engine, 1 to 5 H. P. See adv. next issue.

"U. S." metal polish. Indianapolis. Samples free.

Stave machinery. Trevor Mfg. Co., Lockport, N. Y.

Cheap 2d-hand lathes & planers. S. M. York, Clev'd, O.

Universal and Plain Milling Machines.

Pedrick & Ayer, Philadelphia, Pa.

For Sale—A valuable patent in the carriage line. Address "Carriage Patent," P. O. box 773, New York.

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Screw machines, milling machines, and drill presses. The Garvin Mach. Co., Laight and Canal Sts., New York.

Centrifugal Pumps. Capacity, 100 to 40,000 gals. per minute. All sizes in stock. Irvin Van Wle, Syracuse, N. Y.

Portable engines and boilers. Yacht engines and boilers. B. W. Payne & Sons, Elmira, N. Y., and 41 Dey Street, New York.

For Sale—Names and addresses of machine shops in Ohio, Indiana, and part of Pennsylvania for \$1.50. Address S. P. Hick, Sidney, Ohio.

To Let—A suite of desirable offices, adjacent to the Scientific American offices, to let at moderate terms. Apply to Munn & Co., 361 Broadway, New York.

Fine Castings in Brass, Bronze, Composition (Gun Metal), German Silver. Unequaled facilities. Jas. J. McKenna & Bro., 424 and 426 East 23d St., New York.

For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., address J. S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y.

Kennedy Valve Mfg. Co., manufacturers of brass, iron gate valves, patent indicator valves, fire hydrants, globe, angle, check, radiator, and safety valves, 52 Cliff St., N. Y.

Canning machinery outfits complete, oil burners for soldering, air pumps, can wipers, can testers, labeling machines. Presses and dies. Burt Mfg. Co., Rochester, N. Y.

Competent persons who desire agencies for a new popular book, of ready sale, with handsome profit, may apply to Munn & Co., Scientific American office, 361 Broadway, New York.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(4668) G. E. J. asks how construct a bell circuit so that he can place a bell at each end of the line, and ring up from either end on the same circuit, using an open circuit battery. A. You can arrange an open circuit bell to be rung at either end of the line by employing two wires, placing one bell, one battery and one push button in each wire, and using the ground for return in either case. 2. Please explain how to construct an electric telephone receiver for private use. A. You will find electric telephones described in SUPPLEMENT, Nos. 575 and 142.

(4669) A. H. writes: Please inform us what the standard rule is as to the number of cubic feet to a ton of ice. A. Solid ice is 38½ cubic feet to the gross ton, or 34½ cubic feet to the net ton. Ice in storehouse packed solid 42 cubic feet and 38 cubic feet respectively per ton.

(4670) P. F. D. asks what the process is for tinning or whitening small articles of brass. A. Immerse the brass articles, previously made perfectly clean, in a solution, boiling hot, of

Ammonia alum.....17½ oz.

Bolting water.....12½ "

Protochloride of tin.....1 "

When properly whitened, wash in hot water.

(4671) J. C. A., Jr.—A good cat in your cellar or garret would probably soon rid your house of rats and mice, but if you prefer trying some other means, we would suggest baiting the rats and mice for a few days in one place, and afterward placing a trap of approved construction in that place, when you will probably be able to clear the house.

(4672) J. McR. asks: What is my best plan to erect building for storing stone lime to prevent slaking? A. Lime if to be stored for any length of time should be packed in tight barrels in a dry atmosphere or as soon as drawn from the kilns, and placed in a building that if made for the purpose should stand entirely clear of the ground, with a clean wind sweep under it and so arranged that the storage room can be opened free to the air when dry, and closed when the atmosphere gets moist or in rainy weather.

(4673) J. K.—You cannot operate a single incandescent lamp to advantage with storage batteries, and primary batteries are out of the question. Any storage battery that would operate a single incandescent lamp would furnish current enough for a series of lamps. Primary batteries require continual attention, and the light produced by them is expensive.

© 1893 SCIENTIFIC AMERICAN, INC.

Stove knob, H. A. Matthews.....	491,292
Stove utensils, rack for hanging, O. Weaver.....	491,502
Street sweeping machine, A. Bertram.....	491,273
Structure, separable skeleton, H. P. De Lastelle.....	491,288
Surgical ligature receptacle, J. E. Lee.....	491,315
Suspended chair, M. A. Hart.....	491,172
Suspenders, G. M. Schamb.....	491,191
Swing, J. W. Shipman.....	491,379
Switchboard systems, multiple, C. E. Scribner (r).....	11,306
Switchboard systems, metallic circuit for multiple, J. A. Seely.....	491,252
Switchboard systems, testing apparatus for multiple, C. E. Scribner.....	491,250
Teletype stand, F. A. Beeman.....	491,403
Teletype stand, F. A. Gray.....	491,547
Teletype receiver, printing, M. D. Porter.....	491,133
Teletype, vibratory, S. D. Field.....	491,163
Telephone cable, S. W. Holman.....	491,109
Telephone transmitter, H. L. Tyler.....	491,275
Thill coupling, W. F. Leighton.....	491,182
Thrashing machine, W. M. Kopp.....	491,483
Thrashing machine, flax, D. C. Chipman.....	491,237
Thread holder and cutter, E. C. Jenkins.....	491,260
Thread holder and cutter, combined, E. C. Jenkins.....	491,262
Tie, See Cross tie.....	
Tin from iron or steel, separating, T. Twynam.....	491,254
Tire, cycle, A. Strass.....	491,386
Tire, pneumatic, C. H. Gray.....	491,479
Tire, pneumatic, D. H. Smith.....	491,296
Tire setter, hydrostatic, C. L. Grimes (r).....	11,307
Tobacco pipe, W. Demuth.....	491,409
Tool combination, A. & F. J. Reinhold.....	491,189
Tool holder, Low & Dahl.....	491,316
Toy baseball game, J. A. Meador.....	491,247
Traction engine, J. A. Stout.....	491,385
Tramway, overhead, P. F. Werner.....	491,151
Transplanter, C. D. Manwaring et al.....	491,290
Transplanter, H. Moon (r).....	11,305
Trap, See Animal trap. Steam trap. Stench trap.....	
Tree transplanter, L. H. Rogers.....	491,135
Trimming pendant, dress, G. F. Hensel.....	491,350
Trolley stand, S. Harris.....	491,210
Trough, See Watering trough.....	
Truck, car, S. D. King.....	491,263
Truck, car, W. Robinson.....	491,497
Trub or pull making machinery, C. D. Ames.....	491,317
Tumbler washer, O. H. Robinson.....	491,374
Typewriter cabinet, S. L. Conde.....	491,239
Typewriting machine, G. C. Blickensderfer.....	491,071
Typewriting machine, W. Bodenbrow, Jr.....	491,072
Valve, E. H. Gold.....	491,166
Valve for kitchen boilers, safety, T. B. Clatworthy.....	491,238
Valve, pressure reducing, A. Horne.....	491,178
Valve, radiator air, A. Hubbard.....	491,112
Valve, steam-actuated, A. R. Boluss.....	491,506
Vehicle, two-wheeled, E. McPhee.....	491,125
Velocipede driving gear, J. Keen et al.....	491,429
Velocipede saddle, W. J. Edwards.....	491,162
Velocipede support, S. Elliott.....	491,475
Vending machine, G. L. Slater.....	491,323
Ventilator, See Car ventilator. Window ventilator.....	
Violin supporter, G. Narberti.....	491,372
Wagon body, M. M. Baker.....	491,461
Wagon, dumping, R. Fitzroy.....	491,343
Wagon running gear, T. F. Updegrave.....	491,230
Wall paper, apparatus for printing and bronzing, G. K. Birge.....	491,303
Washboard, J. H. & O. T. Lapham.....	491,181
Washboard, B. F. Messmann.....	491,436
Washer, S. Tumbler washer.....	491,211
Washstand, J. P. Hayes.....	491,073
Washing machine, A. C. Brandt.....	491,424
Washing machine, W. H. Haydon.....	491,242
Watch, stem winding and setting, L. Favre.....	491,116
Water by pneumatic pressure, system and device for elevating, C. H. Keeney.....	491,320
Water heater, electric, W. Mitchell.....	491,360
Water heating and purifying device, O. W. Ketchum.....	491,077
Watering trough, stock, H. Carroll.....	491,284
Waterproofing oil receptacles, compound for, G. Gumbel.....	491,164
Wells, means for handling drill bits for oil or artesian, W. Forker.....	491,469
Wheel, See Burr wheel. Car wheel.....	
Wheels, etc., fastening device for, H. C. Carver.....	491,353
Whiting, manufacture of, H. C. Higginson.....	491,279
Window, J. W. Cameron.....	491,310
Window, A. Hitt.....	491,246
Window, J. D. A. Thurston.....	491,088
Window ventilator, J. De Long.....	491,304
Wire, manufacture of barbed, J. D. Curtis.....	491,111
Wire stretching and twisting tool, E. T. Hoyt.....	491,283
Woodwork, process of and apparatus for producing ornamental, A. Guattari.....	491,415
Wrench, See Pipe wrench.....	
Wrench, E. L. Essley.....	491,222
Wrench, A. Pellet.....	491,222

TRADE MARKS.

Beer, lager, Joseph Kohle Brewing Company.....	22,427
Beer, lager, H. Rahr's Sons.....	22,428
Beverage, certain carbonated, Eclipse Carbonating Company.....	22,430
Bicycles, velocipedes, and articles accessory thereto, Hubbel Bros. & Co.....	22,454
Bicycles, velocipedes, and articles accessory thereto, Yost Manufacturing Company.....	22,455
Bleaching compound, Roessler & Hasslacher Chemical Company.....	22,435
Bread, G. Alber.....	22,432
Cashmeres, R. Petel & Co.....	22,432
Cigars, T. H. Hennessy.....	22,432
Coal, mineral, Jellico and Bird-Eye Coal Company.....	22,438
Coffee, E. T. Smith & Co.....	22,433
Cones for receiving masses of yarn or thread wound thereon, A. A. Brigham.....	22,450
Corset waists, O. P. Plynt.....	22,420
Cultivators and bean harvesters, Wells Cultivator Co.....	22,452
Cure, kidney and liver, Peterboro Medicine Co.....	22,447
Dentifrice, W. H. Farrand.....	22,441
Dress goods, wool and silk and wool black, Les de A. Guillaumet & G. Maes.....	22,421
Extracts, handkerchief, A. B. Wrisley.....	22,439
Hides, sides, skins, or similar forms of leather, J. Smith.....	22,423
Lead, white, A. Pfug & Co.....	22,437
Noodles, egg, G. A. Pfaffmann.....	22,431
Oil extracts for use as internal and external remedies for disease, G. W. Hooton.....	22,445
Perfumery, soaps, oils, tooth powder, smelling extracts, rice powders, and cologne, Roger & Gallet.....	22,440
Periodical, printed, Fashion Company.....	22,419
Preparations for the skin and complexion, M. L. Johann.....	22,442
Prune juice, Ball & Cheyne Company.....	22,429
Salve, G. L. Baldauf & Co.....	22,440
Salves, liniments, plasters, and bitters, E. Dorr.....	22,444
Seeds, bulbs, plants, and flowers, E. H. Hunt.....	22,443
Starch, wheat, H. Kohnstamm & Co.....	22,434
Starching machines, L. B. Porter.....	22,449
Tires, vehicle, Union Cycle Manufacturing Company.....	22,453
Tobacco, pipe, J. D. Walker.....	22,425
Unguenta, E. P. Houghton & Co.....	22,443
Valves and pump governors, pressure reducing, Locke Brothers.....	22,451
Washingfluid, H. Kohnstamm & Co.....	22,436
Watchcase, composition, Illinois Watch Case Company.....	22,418
Wine, Bordeaux, Brossault & Co.....	22,426

DESIGNS.

Button, M. R. Blumenberg.....	22,199
Cheek piece, H. L. Heald.....	22,205
Cup, C. E. Haviland.....	22,201
Dish, T. Haviland.....	22,200
Finger ring, H. Lehr.....	22,192
Finger ring, J. Rees.....	22,193
Flushing tank, A. D. Sanders.....	22,209
Glass dish, T. Singleton, Jr.....	22,205
Haft plate, H. L. Heald.....	22,204
Plane frame, circular, E. A. Schade.....	22,206
Plant support, A. W. Smith.....	22,206
Pulsometer, F. M. Criswell.....	22,198
Resistance box, E. Weston.....	22,207
Silversmiths stock, G. L. Crowell, Jr.....	22,194
Spoon, J. F. Hyslop.....	22,197
Spoon, J. Verschuur.....	22,195

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print since 1883, will be furnished from this office for 25 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for the inventions named in the foregoing list, provided they are simple, at a cost of \$40 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

Advertisements.

Inside Page, each insertion - - 75 cents a line
Back Page, each insertion - - - \$1.00 a line
The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

"Star" LATHE
Foot Lathe Swings 9x25 in.
Screw Cutting Automatic Cross Feed, etc.
Seneca Falls Mfg. Co. 695 Water St., Seneca Falls, N.Y.

The Sebastian-May Co
Improved Screw Cutting
Foot & Power LATHES
\$60
Drill Presses, Chucks, Drills, Docks, and Machinists' and Amateurs' (Chucks, Lathes, etc.) Catalogues mailed on application.
165 to 167 Highland Ave., SIDNEY, OHIO.

SPECIAL NOTICE!

Two handsome photo-engraved display sheets entitled, "Recent Improvements in Air Compressors," "Recent Improvements in Rock Drills," mailed free to any one who will cut out this advertisement and mail it to us with his name and address.
INGERSOLL-SERGEANT DRILL CO.
No. 10 Park Place, New York, U.S.A.

ROCK DRILLS
AIR COMPRESSORS &
GENERAL MACHINERY FOR
MINING, TUNNELING,
QUARRY & RAILROAD WORK
RAND DRILL CO. 23 PARK PLACE NEW YORK

VELOCITY OF ICE BOATS. A collection of interesting letters to the editor of the SCIENTIFIC AMERICAN on the question of the speed of ice boats, demonstrating how and why it is that these craft sail faster than the wind which propels them. Illustrated with 10 explanatory diagrams. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 214. Price 10 cents. To be had at this office and from all newsdealers.

AMERICAN WATCH TOOL CO.
LATEST IMPROVEMENTS.
NEW STYLE.
NEW PRICES.
GROWING RAPIDLY in FAVOR
Waltham, Mass.

IMPROVED LATHES MODERN ENGINE DESIGNS
Also Foot Lathes, Tools and Supplies. Catalogue Free
Sebastian Lathe Co. 120-122 Culvert Street CINCINNATI, OHIO.

VANDUZEN STEAM PUMP
THE BEST IN THE WORLD.
Pumps Any Kind of Liquid.
Always in Order, never Clogs nor freezes. Every Pump Guaranteed.
— 10 SIZES —
200 to 12000 Gallons per Hour.
Cost \$7 to \$75 each. Address
THE VANDUZEN & TIFT CO.,
102 to 108 E. Second St., Cincinnati, O.

FUELS AND THEIR USE—A PRESIDENTIAL address before the Society of Chemical Industry, by J. Emerson Reynolds, M.D., discussing the modern developments of the fuels coal, peat and petroleum. Gasification of coal. Natural gas. Gasified petroleum. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 565. Price 10 cents. To be had at this office and from all newsdealers.

RIFE'S AUTOMATIC HYDRAULIC ENGINE OR RAM
SUPPLYING WATER FOR
Irrigation, Small Towns, Railroad Tanks, Factories, Steam Mills, Dairies, Country Residences, Stock Yards, etc. Automatic, Efficient, Durable, and Inexpensive. Send for full illustrated catalogue in Sci. Am., p. 5, July 5, '90.
Rife's Hydraulic Engine Mfg. Co., Roanoke, Va.

INVENTORS' IDEAS put into practical working shape by
JOHN A. MILLIKEN,
Cor. JOHN AND DUTCH STREETS, NEW YORK CITY
Machinists, Pattern and Model Makers.

THE FONDA LATHE TOOL.
This new and useful tool is in great demand by Pattern Makers, etc., for making round rods of wood. It may be held in the hand or tool post.
Price \$3.
Made by
CHANDLER & FARQUHAR,
No. 179 Washington Street, Boston.
Send for catalogue of Tools.

MINING AND PROSPECTING TAUGHT BY MAIL
Also, MECHANICAL DRAWING, Mechanics, Arithmetic, etc. To begin, students only need know how to read and write. DIPLOMAS Awarded. Low Prices. Send for FREE Circular to The Correspondence School of Mines, Scranton, Pa.

STEEL, IRON, COPPER, ZINC, BRASS, TIN,
And all other Metals Perforated as Required for Grain Cleaning and Mining Machinery, Woollen, Cotton, Paper and Pulp Mills, Rice, Flour and Oil Mills, Sugar and Malt Houses, Distilleries, Filter Presses, Stone, Coal and Ore Screens, Brick and Tile Works, Filters, Spark Arresters, Gas and Water Works, Oil, Gas, and Vapor Stoves, Coffee Machinery, etc., etc. Standard Sizes Perforated Tin and Brass always in Stock.
THE HARRINGTON & KING PERFORATING CO., Chicago,
And 284 Pearl Street, New York.

LIGHTNING WELL-SINKING
MACHINERY MANUFACTURERS.
Hydraulic, Jetting, Revolving, Artesian, Diamond Prospecting Tools, Engines, Boreholes, Wind Mills, Pumps, Encyclopedias, 1000 engravings, Earth's States, Determination quality water; mailed, 25c.
The American Well Works, Aurora, Ill.
11 & 13 S. Canal Chicago, Ill.
Dallas, Texas

OIL WELL SUPPLY CO.
91 & 92 WATER STREET, Pittsburgh, Pa.,
Manufacturers of everything needed for ARTESIAN WELLS for either Gas, Oil, Water, or Mineral Tests, Boreholes, Engines, Pipe, Cordage, Drilling Tools, etc. Illustrated catalogue, price lists and discount sheets on request.

ALUMINUM
In all shapes. Manufactured by
Cowles Electric Smelting and Aluminum Co.,
Correspondence solicited. LOCKPORT, N. Y.

NICKEL AND ELECTRO-PLATING
Apparatus and Material.
Hanson & Van Winkle Co.
Newark, N. J.
81 LIBERTY ST., N. Y.
23 S. CANAL STREET, CHICAGO.

FREE SITES TO SUBSTANTIAL MANUFACTURING ENTERPRISES
in the rapidly growing towns of Virginia and West Virginia, situated along the lines of the Norfolk & Western Railroad, possessing CHEAP IRON, CHEAP LUMBER, CHEAP FUEL, and RAILROAD FACILITIES Address
J. H. DINGER, 333 Walnut St., Philadelphia, Pa.

DELANEY'S
Expansion Packings for Steam, Water & Ammonia are best and cheapest.
DELANEY'S
Metallic Gaskets and Flanges make everlasting joints.
H. J. Delaney & Co. Mfrs.
Third & Fowler Sts., Milwaukee, Wis.

ICE-HOUSE AND COLD ROOM.—BY R. G. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, 59. Price 10 cents. To be had at this office and from all newsdealers.

CATALOGUES FREE TO ANY ADDRESS
GEARS AND PARTS OF MODELS
GOODNOW & WIGHTMAN
BOSTON

MUD: A MATERIAL IN PERSIAN and Eastern Architecture.—By William Simpson, R.I., M.R.A.S. An interesting London Society of Arts lecture on the mud-built structures of the East. With 7 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 565. Price 10 cents. To be had at this office and from all newsdealers.

WRICLEY'S EMERY DRESSER
\$2.50 EACH
A TOOL FOR GENERAL WORK
CUTS 1/8" DEEP IN 10 SECONDS
NEVER GETS DULL
CUTS GROOVES AND FLANGES RAPIDLY. SEND FOR CIRCULAR
THOS. WRICLEY 85 5th AVE CHICAGO ILL.

W. H. KEMP & CO.,
PLATERS' ROLLING MILLS
All sizes of
Fine Silver for Electro and Hand Platers,
Also ALUMINUM,
In Sheets, Wire and Tubing of all Gauges,
176 and 178 HUDSON ST.,
Mention "Scientific American." NEW YORK.

NICKEL ZUCKER & LEVETT
CHEMICAL CO.
OFFICE 10 GRAND ST. NEW YORK U.S.A.
WORKS, FLUSHING, N.Y.
PLATING
SEND FOR CATALOGUE OF
NICKEL & ELECTRO-PLATING
SUPPLIES & POLISHING MATERIALS
OUTFITS.

ONLY 25 CENTS
A Practical Little Book.
"HOW TO MAKE A 1 H.P. MOTOR OR DYNAMO."
Illustrated with plans and all details.
Address
18 Park Row, N. Y. Electrical Review
Accepted.

IMPROVED CHARTER GAS ENGINES
2 TO 50 ACTUAL H.P.
USING LINE GAS OR NATURAL GAS
GASOLINE, KEROSENE, OR PRODUCER GAS
RELIABLE, ECONOMICAL, SIMPLE, DELICATE PARTS.
H.W. CALDWELL & SON.
SOLE MFR'S
WASHINGTON & UNION STS. CHICAGO, ILL.

ALUMINUM: ITS USES AND APPLICATIONS. A valuable and interesting article by G. L. Addenbrooke. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 559. Price 10 cents. To be had at this office and from all newsdealers.

THE GLOBE AUTOMATIC INJECTOR
The Latest and Best
BOILER FEEDER
Restarting,
Simple,
Positive.
Eagle Lubricator Co.,
108 Canal Street, CLEVELAND, O.

Steel Type for Writing Machines,
J. D. MALLONEE, MFR, STOCKTON, N. Y.

KEUFFEL & ESSER CO.
NEW YORK
AND CHICAGO.
"The Compass," illustrated monthly, W. Cox, Editor. The only journal devoted to the instruments & methods of the engineer, surveyor & draftsman. Subscription \$1.00 a year.

THE SCIENTIFIC AMERICAN
ESTABLISHED 1845.

The Most Popular Scientific Paper in the World
Only \$3.00 a Year, Including Postage.
Weekly—52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc. Complete list of patents each week.

Terms of Subscription.—One copy of the SCIENTIFIC AMERICAN will be sent for one year—52 numbers—postage prepaid, to any subscriber in the United States, Canada, or Mexico, on receipt of three dollars by the publishers; six months, \$1.50; three months, \$1.00.

Clubs.—Special rates for several names, and to Post Masters. Write for particulars.

The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to
MUNN & CO., 361 Broadway, New York.

THE Scientific American Supplement

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages full of engravings, many of which are taken from foreign papers and accompanied with translated descriptions. THE SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archaeology, Astronomy, Chemistry, Electricity, Light, Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information obtainable in no other publication.

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are illustrated and described in the SUPPLEMENT.

Price for the SUPPLEMENT for the United States, Canada, and Mexico, \$5.00 a year; or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both mailed for one year to one address for \$7.00 Single copies, 10 cents. Address and remit by postal order, express money order, or check,
MUNN & CO., 361 Broadway, New York.

Building Edition.

THE SCIENTIFIC AMERICAN ARCHITECTS' AND BUILDERS' EDITION is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming a large and splendid Magazine of Architecture, richly adorned with elegant plates in colors, and with other fine engravings; illustrating the most interesting examples of modern architectural construction and allied subjects.

A special feature is the presentation in each number of a variety of the latest and best plans for private residences, city and country, including those of very moderate cost as well as the more expensive. Drawings in perspective and in color are given, together with full Plans, Specifications, Sheets of Details, Estimates, etc.

The elegance and cheapness of this magnificent work have won for it the Largest Circulation of any Architectural publication in the world. Sold by all newsdealers. \$2.50 a year. Remit to
MUNN & CO., Publishers,
361 Broadway, New York.

BEATTY Pianos, Organs, \$33 up. Want agents. Cat'g free. Dan'F. Beatty, Wash'ton, N. Y.

A Great Repository of Practical and Scientific Information.

One of the Fullest, Freshest, and Most Valuable Handbooks of the Age. Indispensable to Every Practical Man.

Price \$2.00.

Free of Postage to any Address in the World.

The Techno-Chemical Receipt Book.

Containing Several Thousand Receipts, covering the Latest, most important, and most useful discoveries in Chemical Technology, and their Practical Application in the Arts and the Industries. Edited chiefly from the German of Drs. Winckler, Eisner, Heintze, Mierzinski, Jacobsen, Koller, and Heinzerling. With additions by William T. Brann, Graduate of the Royal Agricultural College of Eldona, Prussia, and William H. Wahl, Ph. D. (Heid.), Secretary of the Franklin Institute, Philadelphia. Illustrated by 78 engravings, one volume, over 500 pages, 12mo, elegantly bound in scarlet cloth, gilt, closely printed, containing an immense amount and a great variety of matter.

Price \$2.00, free of postage to any address in the world. A circular of 32 pages, showing the full Table of Contents of this important Book, sent by mail free of postage to any one in any part of the World who will furnish his address.

HENRY CAREY BAIRD & CO.
INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS
810 Walnut St., Philadelphia, Pa., U. S. A.

WHERE TO LOCATE NEW FACTORIES.


The Illinois Central Railroad Company is desirous of calling the attention of capitalists and manufacturers to the advantages possessed by the different cities and towns on their Southern Lines and on the lines of the Yazoo & Mississippi Valley Railroad Company, in the shape of

UNLIMITED RAW MATERIAL, PROXIMITY TO MARKETS, CHEAP LABOR,

Fuel, etc., and believes that it needs but a presentation of their merits to attract the careful attention of all interested in converting the raw materials to be found on their lines into the finished product. Prominent among these are cotton, hard and soft wood, clay, fruits, vegetables, etc. A descriptive pamphlet of 150 pages, entitled "Where to Locate New Factories," has been issued by the Company, and a copy will be sent free on application to the undersigned, who will also give any further information as to

INDUCEMENTS OFFERED

by the different localities for desired industries. Individuals or companies wishing to embark capital in cotton, clay, wood-working, canning or other industries, can find a profitable field and hearty co-operation. For particulars address Geo. C. Fowler, Industrial Commissioner, I. C. R. R., 58 Michigan Avenue, Chicago, F. 3-92.



For Sale—Necessary household invention, splendid for "World's Fair." Address H., 1110 N. H. Ave., Washington, D. C.



ARTESIAN
Wells, Oil and Gas Wells, drilled by contract to any depth, from 50 to 3000 feet. We also manufacture and furnish everything required to drill and complete same. Portable Horse Power and Mounted Steam Drilling Machines for 100 to 1,000 feet. Write us stating exactly what is required and send for illustrated catalogue. Address
PIERCE ARTESIAN & OIL WELL SUPPLY CO.,
80 BEAVER STREET, NEW YORK.

SAVE MONEY



Kenwood
\$65 High Arm "Kenwood" \$25.50
\$55 High Arm "Kenwood" \$22.50
\$50 High Arm "Arlington" \$20.50
\$45 High Arm "Arlington" \$18.50
The "Kenwood" is the latest improved and BEST sewing machine made. Light running. Noiseless. Self-setting needle. Self-threading shuttle. Automatic bobbin winder. Warranted ten years. All attachments free. We ship anywhere to anyone in any quantity at wholesale prices and pay freight or give ten days' free trial in your own home. No money required in advance. We also sell Standard Singer machines at \$16.50, \$14.00 and \$9.50. Send at once for free catalogue. CASH BUYERS UNION,
158-160 W. Van Buren St., B 653, CHICAGO, ILL.

STEEL TYPE FOR TYPEWRITERS

Stencils, Steel Stamps, Rubber and Metal Type Wheels, Dies, etc. Model and Experimental Work. Small Machinery, Novelties, etc., manufactured by special contract. New York Stencil Wks. 100 Nassau St., N. Y.

Rubber Rolls and Wheels.

Power Wringer Machines, Drying and Ventilating Fans. All styles of Trucks made to order. Catalogues free. GEORGE P. CLARK,
Box L, Windsor Locks, Conn.

"ECONOMY IS WEALTH."
Canvassers wanted to sell the New Model Hall Typewriter. Why will people buy a \$100 machine when \$30 will purchase a better one? Send for illustrated catalogue and terms to County Agents. Address M. TYPEWRITER CO.,
611 Washington Street, Boston, Mass.
Mention Scientific American.

212° FAHR THE STEAM JACKET
FEED WATER BOILER & PURIFIER
BOILS THE WATER
WM BARAGWANATH & SON
46 W. DIVISION ST.
CHICAGO
SEND FOR CATALOGUE.

MY WIFE SAYS SHE CAN'T SEE HOW YOU DO IT FOR THE MONEY.
\$12 Sewing Machine; perfect working, reliable, finely finished, adapted to light and heavy work, with a complete set of the latest improved attachments free. Each machine guaranteed for 5 years. Buy direct from our factory and save 25% and agents profit. Send for FREE CATALOGUE.
OXFORD MFG. COMPANY, DEPT. D, 35 CHICAGO, ILL.

CHAPMAN VALVE MANUFACTURING COMPANY,
MANUFACTURERS OF
Valves and Gates
For STEAM, WATER, GAS, AMMONIA, OIL, ACID, Etc.; also
GATE FIRE HYDRANTS.
We make a Specialty of Valves for Superheated and High Pressure Steam, 100 Pounds Pressure and Upwards.
General Office and Works, **INDIAN ORCHARD, MASS.**
Treasurer's Office, **72 KILBY STREET, BOSTON.**
Chicago Office, **24 WEST LAKE STREET.**
All work Guaranteed. Send for Circulars and Prices.

OUR MAGIC LANTERNS
WITH OIL LAMPS HAVE NO EQUAL
VIEWS OF ALL SUBJECTS
LOWEST PRICES GUARANTEED
L. MANASSE
88 MADISON ST. CHICAGO ILL.


SCIENTIFIC AMERICAN SUPPLEMENT. Any desired back number of the SCIENTIFIC AMERICAN SUPPLEMENT can be had at this office for 10 cents. Also to be had of newsdealers in all parts of the country.

CUT PRICES On Revolvers
AUTOMATIC SHELL EXTRACTOR
DOUBLE-ACTION
\$3.65
\$15.00
3 in. long, rifle barrel 3/4 in. Long fluted cylinder. Low curved hammer, which prevents accidental discharge. Weight 16 oz. Cut this out and send with order and we will ship by express C. O. D. If on examination you find it as represented pay \$2.65 For cash with order for 5 we will give you One Free
W. HILL & CO., Gun Dept., 207 State St. CHICAGO

WOODEN TANKS FOR RAILROADS
LARGE WATER TANKS
PLANS & SPECIALTY
PERFECTION IN WORK
FOR FOUNDATIONS & TOWERS
No. 217 E. MAIN ST. LOUISVILLE KY

Scientific Book Catalogue

RECENTLY PUBLISHED.
Our new catalogue containing over 100 pages, including works on more than fifty different subjects. Will be mailed free to any address on application.
MUNN & CO., Publishers Scientific American.
361 Broadway, New York.



BERLIN BLUE VITRIFIED BRICK.

An indestructible product, impervious to water and acids, for room linings and flooring. Especially useful in chemical works for lining Digesters.

NEW YORK BRICK AND PAVING CO.,
SYRACUSE, N. Y.

STOW FLEXIBLE SHAFT.
INVENTED AND MANUFACTURED BY THE
STOW MFG CO.
440 STATE ST.
BINGHAMTON, N. Y.

THIS \$11 to \$17 FREE SEWING MACHINE
to examine in any home. Sent anywhere without cost in advance. Warranted to be best sewing machine ever made. Our terms, conditions and everything far more liberal than any other house ever offered. For full particulars, etc., cut this advertisement out and send to us today. Address
Alvah Mfg. Co., Dpt. C251 Chicago, ILL.

SAVE HALF ON NEW BICYCLES
A \$25 cycle for \$12; others as low. Largest and oldest dealers in the U.S. We sell everywhere. Easy payments if desired. Catalogue free.
Rouse, Hazard & Co.,
16 G ST. PEORIA, ILL.

Hatch Chickens by Steam. IMPROVED EXCELSIOR INCUBATOR
Will do it. Thousands in successful operation. Simple, Perfect and Self-Regulating. Lowest-priced first-class Hatcher made. Guaranteed to hatch a larger percentage of fertile eggs at less cost than any other.
Send 6c. for Illus. Catalogue. GEO. H. STAHL, Quincy, ILL.

SELTZATEURS for home-made Soda Water, etc., \$4.50 and up. Family Ice Machine \$10 and up. Filters, \$1.25 and up. Cookers, \$1. L. DERMIGNY, 126 West 25th St., New York.

AN IDEAL STUB PEN—Esterbrook's Jackson Stub, No. 442
A specially EASY WRITER, a GOOD INK HOLDER and a DELIGHT to those who use a STUB PEN. ASK YOUR STATIONER FOR THEM. Price, \$1.00 per gross. THE ESTERBROOK STEEL PEN CO., 26 John St., New York.

The Mosely Improved Water Heater
GAS OR GASOLINE BURNERS.
Combustion Perfect—No Ventilating Flue Required. Specially adapted for Stationary Baths, Laundries, etc. May be used in connection with water service or otherwise. Send 2c. stamp for catalogue giving full explanation, also illustrating 18 Styles of the celebrated Mosely Self-Heating Folding Bath Tub.
151 E. So. Canal St., Chicago, Ill.

Plating Electric Dynamos Motors.
WITH ALL FORGED FIELD MAGNETS.
114 S. Tennessee St., INDIANAPOLIS, IND.

Astronomical Telescopes
of superior defining power, Photographic Lenses, etc. Manufactured by
W. & D. MOGEY,
Bayonne, New Jersey.
Send for new catalogue.

OUR OFFER.
"2 BUBIER'S Popular Electrician" 10c.
An illustrated monthly journal for the amateur, experimenter and public, or of ELECTRICITY. By Edw. Trevert. 50 illustrations. 120 Pages. All about Electric Bells, Batteries, Motors, Railways, Welding, etc. Post-paid Book and Paper for 35 cents.
BUBIER PUB. CO., LYNN, MASS.

USE GRINDSTONES?
If so, we can supply you. All sizes mounted and numbered, always kept in stock. Remember, we make a specialty of selecting stones for all special purposes. Ask for catalogue.
The CLEVELAND STONE CO.
2d Floor, Wilshire, Cleveland, O.

THE DENSMORE

SURPASSES THE OLDER MACHINES in many ways, but in none more than in its true and unimpaired alignment.

THE FAMOUS CARNEGIE STEEL CO., Pittsburgh, are among the great concerns that have adopted it, and have just purchased the fifteenth. Their chief stenographer, after subjecting a number of these machines to months of hard work, says: "The alignment is still perfect." Our operators everywhere corroborating this, call the Densmore

"THE WORLD'S GREATEST TYPEWRITER."
Densmore Typewriter Co., 202 Broadway, New York

A complete Directory of the STEAM USERS IN CONNECTICUT FOR 1893 is now ready, price \$3.00. L. F. Middlebrook, Publisher, P. O. Box 940, Hartford, Conn.

SOLID GOLD FILLED WATCH
Guaranteed 20 Years.
A genuine gold-filled watch to every reader of this paper. Cut this out and send it to us with your name and address, and we will send you this elegant watch by express for examination, and if you think it equal in appearance to any \$50.00 gold watch, pay our sample price, \$7.95, and it is yours. We send with our guarantee that you can return it at any time within one year if not satisfactory, and if you cause the sale of six we will give you ONE FREE. Write at once, we shall send out samples for sixty days only. Address
THE NATIONAL MFG & IMPORTING CO.,
334 Dearborn St., Chicago, Illinois.

TO BUSINESS MEN

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN, when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done for the reason that the agent gets a larger commission from the papers having a small circulation than is allowed on the SCIENTIFIC AMERICAN.

For rates see top of first column of this page or address MUNN & CO., Publishers.

361 Broadway, New York

STEREOPTICONS. MAGIC LANTERNS AND ACCESSORIES. SEND FOR CATALOGUE TO CHAS BESELMER, 218 CENTRE ST. NEW YORK.

INVENTIONS

Practically Developed. ELECTRIC CUTTER CO., 166 Elm Street, New York (E. D'AMOUR, Supt.), Machinists, Pattern and Model Makers.

PROPOSALS.

UNITED STATES ENGINEER OFFICE, WILMINGTON, Del., February 1, 1893. Sealed proposals for dredging and excavating for the construction of an inland waterway from Chincoteague Bay, Va., to Delaware Bay, Del., will be received at this office until 12 o'clock noon, March 2, 1893, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office. WM. F. SMITH, United States Agent.

DEFIANCE MACHINE WORKS
DEFIANCE, OHIO, U.S.A.
BUILDERS OF
HUB, SPOKE, WHEEL BENDING, WAGON, CARRIAGE AND HOOP MACHINERY.
PATENT SPOKE DRIVER. SEND FOR CATALOGUE.

JAMES LEFFEL & CO.,
SPRINGFIELD, OHIO, U.S.A.
Send for our fine large PAMPHLET.

GATES ROCK & ORE BREAKER
Capacity up to 200 tons per hour.
Has produced more ballast, road metal, and broken more ore than all other Breakers combined.
Builders of High Grade Mining Machinery. Send for Catalogues.
GATES IRON WORKS,
50 C So. Clinton St., Chicago
136 C, Liberty Street, New York
237 C, Franklin St., Boston, Mass

SCIENTIFIC EXPERIMENTS. — Description of some simple and easily performed scientific experiments. Foucault's pendulum, exchange of water and wine, the bird in the cage, the five-pointed star, the sum of the angles of a triangle, surface of the sphere, with 6 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 875. Price 10 cents. To be had at this office and from all newsdealers.

MALLEABLE AND FINE GRAY IRON ALSO STEEL CASTINGS FROM SPECIAL PATTERNS
THOMAS DEVLIN & CO.
FINE TURNING, JAPANNING AND ENGRAVING
LEHIGH AVE. & AMERICAN ST. PHILA.

Agents Wanted for the Life and Public Services of
JAMES C. BLAINE
Only complete work pub. complete outfit mailed for No. Address, National Pub. Co., Chicago, Ill.

CONTRACTS WANTED FOR LIGHT METAL WORK
SEND IN YOUR PRICES
SPECIAL FACILITIES FOR MAKING MODELS

The Belknap Little Giant Water Motor

Best Water Motor, most powerful and efficient machine on the market.
Electric Motors and Dynamos.
Combined Water Motors and Dynamos.
Cyclone Coffee Mills for Grocers' use.
Combined Motor and Mill in one case, run by water or electricity.
Write for Circulars.

BELKNAP MOTOR CO.,
23 Plum St., Portland, Maine U.S.A.

SCIENTIFIC AMERICAN DYNAMO.
Description of a plain shunt-wound dynamo of simple construction, capable of supplying a current of from 60 to 75 110-volt incandescent lamps, or of being used as a h. p. motor. This machine was constructed especially for the benefit of the readers of the Scientific American, by Mr. W. S. Bishop, of New Haven, Conn. It is designed to meet the wants of mechanics and amateurs who desire to construct a simple dynamo for their own use, but who do not care to enter into the subject scientifically. With 24 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 865. Price 10 cents. To be had at this office and from all newsdealers.

ALANSON CARY
MANUFACTURER OF
STEEL SPRINGS
OF EVERY DESCRIPTION
240 & 242 W. 29TH ST. NEW-YORK

SEND for our list of 19 Catalogs of Music and Musical Instruments.
W. STORV, 26 Central St., Boston, Mass



EXHIBITS (COLUMBIAN) EXPOSITION

Subscribe for the Scientific American. No one should be without it. Copies should be preserved in files. Fully illustrated. Terms \$3 per year.
Address MUNN & CO., 361 Broadway, N. Y.

PATENTS
Caveats, Trade Marks, Copyrights, Designs, etc.
Handbook and information concerning Patents sent free of charge. Oldest bureau for securing Patents in America. Over 100,000 applications have been filed by MUNN & Co., 361 Broadway, N. Y.

DEAFNESS & HEAD NOISES CURED
by a new method. Ear Conditions, Whispers heard. Successful when all remedies fail. Sold FREE only by F. Hincoc, 548 B'way, N.Y. Write for book of proofs.

WORKING MODELS & LIGHT MACHINERY. INVENTIONS DEVELOPED. Send for Model Circular. Jones Bros. E. Co., Cin'ti. O.

Advertisements.

Inside Page, each insertion - - 75 cents a line
Back Page, each insertion - - - \$1.00 a line
The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.



OVERMAN WHEEL CO.
BOSTON. WASHINGTON. DENVER. SAN FRANCISCO.
A. G. SPALDING & BROS., Special Agents,
CHICAGO. NEW YORK. PHILADELPHIA.

"Spur Pointed" Wood Screws.


Patented May 10, July 19, 1887; Oct. 29, 1889;
Aug. 19, Oct. 21, 1890; April 7, May 12, 1891;
July 19, 1892.

Its Advantages are:

1. Stronger than a common screw.
2. Uniform and wide slot.
3. Requires the use of but one bit in hard wood.
4. Inserted easier.
5. Centralized point.
6. Superior holding power.
7. The screw being Cold Forged, instead of Cut, leaves on its entire surface a metallic skin.

Send for samples to

AMERICAN SCREW CO.
PROVIDENCE, R. I.

Printing Telegraphs
FOR EVERY PURPOSE.

Messages printed in plain type. Can be operated by any one. No skilled labor required. Quick communication, with absolute certainty of receipt of message. Portable machines, wires, and batteries for temporary connections. Wires of any length fitted out, from a few feet to a thousand miles.

THE EQUITABLE MFG. & ELECTRIC CO.
44 BROADWAY, NEW YORK.

A modern instance


of fine brains and fine machinery getting together to produce the unexpected—is found in the new, **quick-winding Waterbury**, a watch with the best features of a high-cost timepiece, yet at only a fraction of the price.

It has a remarkably close adjustment and jeweled bearings—which make it an accurate time-keeper; while taste, elegance and genuineness are combined in its outward appearance.

It is handsome enough for Sunday and cheap enough for week-days. May save banging your Sunday watch. Any jeweler will show you many styles of the new, **quick-winding Waterbury**. \$4 to \$15.

PATENTS!

MESSRS. MUNN & CO., in connection with the publication of the **SCIENTIFIC AMERICAN**, continue to examine improvements, and to act as Solicitors of Patents for Inventors.
In this line of business they have had *forty-five years' experience*, and now have *unrivalled facilities* for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reliques, Assignments, and Reports on Infringements of Patents. All business entrusted to them is done with special care and promptness, on very reasonable terms.
A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reliques, Infringements, Assignments, Rejected Cases. Hints on the sale of Patents, etc.
We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing Patents in all the principal countries of the world.
MUNN & CO., Solicitors of Patents,
361 Broadway, New York.
BRANCH OFFICES.—No. 622 and 624 F Street, Pacific Building near 7th Street, Washington, D. C.



THE GRIFFIN MILL

A perfect pulverizer of all refractory substances by either the wet or dry process. It works better and at less expense than any other Mill, and is conceded to be the only perfect pulverizing Mill manufactured.

For FREE Illustrated Pamphlet address

BRADLEY FERTILIZER CO., 92 STATE ST., BOSTON.

DRILL CHUCKS.

Write "THE PRATT CHUCK CO." Clayville, N. Y., U. S. A., for free illustrated catalogue of **POSITIVE DRIVING DRILL CHUCKS**, showing the only perfect system ever devised for holding and driving drills.

Foreign Agencies: Ph. Roux et Cie, 54 Boulevard du Temple, Paris, France. E. Sonenthal, Jr., Nueu Promenade, No. 5, Berlin, Germany. Selig, Sonenthal & Co., 85 Queen Victoria Street, London, E. C., England.

THE WILMOT & HOBBS MFG. COMPANY

SPECIALTY: COLD ROLLED SHEET AND STRIP STEEL
HOT ROLLED BAND, STRIP AND PLATE STEEL

GOLD ROLLED SHEET AND STRIP STEEL

FOR DIFFICULT PRESSING, STAMPING, DRAWN WORK, ETC.

LARGE CONTRACTS SOLICITED FOR AUTOMATIC, HEAVY & DIFFICULT SHEET METAL

BLANKING, STAMPING & DRAWN WORK, TUBES & C. NICKEL & BRASS PLATING,

TINNING, JAPANNING & DIE MAKING. BRIDGEPORT, CONN.

TO 50 H. P. THE Motor of 19th Century

Can be used Any Place, to do Any Work, and by Any One. No Boiler! No Fire! No Steam! No Ashes! No Gauges! No Engineer! A perfectly safe Motor for all places and purposes. Cost of operation about one cent an hour to each indicated horse power. For circulars, etc., address

Economy, Reliability, Simplicity, Safety. **CHARTER GAS ENGINE CO.**

P. O. Box 148, Sterling, Ill.

MECHANICS' TOOLS.

If you are interested in Tools as a manufacturer or amateur, you should have a copy of our new catalogue. Our 1892 edition is a very elaborate and complete book of 704 pages, handsomely bound in cloth. The book will be sent to any part of the world, prepaid, on receipt of \$1.00, and the money thus paid will be refunded with the first purchase amounting to \$10.00 or over. Every manufacturer and amateur should have this catalogue, even if they do not intend buying their Tools and Supplies of us.

MONTGOMERY & CO., Fine Tools,
105 Fulton Street, New York City, N. Y.

Send for Catalogue.

"IMPROVEMENT THE ORDER OF THE AGE."

The Smith Premier Typewriter

Embodies the most Progressive Mechanical Principles.

All the Essential Features Greatly Perfected.

Perfect and Permanent Alignment.

Easiest Running, and Nearly Silent.

All type cleaned in Ten Seconds without Soiling the Hands.

The Smith Premier Typewriter Co., Syracuse, N. Y., U. S. A.

We have 20 branch offices in the principal cities throughout the United States.

Send for Catalogue.

No one ever wrote 1000 Letters an Hour,

that is, unless they first wrote one and then copied the rest on an

EDISON MIMEOGRAPH

Invented by Thos. A. Edison. For Daily Office Use in duplicating both handwriting and typewriting.

Anybody can operate it. Simple—Compact—Cheap. Endorsed by over 90,000 users.

Catalogues and Samples of work sent free upon application. Manufactured only by the A. B. DICK CO., 154 E. Lake St. Chicago. Branch Offices, 47 Nassau St., N. Y. City, 117

Send for Catalogue.

DON'T TWIST YOUR WRIST

HOWARD-ALLARD SPIRAL CLUTCH

TRIPLE BIT SCREW DRIVER.

Price, \$1.50, by mail.

The Howard-Allard Original Patent Spiral Screw Driver makes work but mere play. Perfect work can only be done with Perfect Tools. Here it is, two sizes, packed in strong box, three bits. Press on screw, the Spiral settles it. Get it of your Jobber. Full circular and prices by addressing the Sole Agents,

THE ALFORD & BERKELEY CO.,
77 Chambers Street, NEW YORK.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

Send for Catalogue.

THE AMERICAN BELL TELEPHONE CO.